

**Section 1 Chemical Product and Company Information**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency  
Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

**Product** COPPER METAL**Synonyms** Copper Metal Shot / Copper Shot / Copper**Section 2 Hazards Identification**

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** None**Pictograms:** None**Target organs:** Liver, Kidneys**GHS Classification:**

Not classified

**GHS Label information: Hazard statement(s):**

None

**Precautionary statement(s):**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Ca Prop 65** - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Nommé Chimique	# CAS	%	EINECS
Copper shot	7440-50-8	100%	231-159-6

**Section 4 First Aid Measures**

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED AS FUME. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use triclass, dry chemical fire extinguisher. Do NOT use water on fire where molten metal is present.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Section 7 Handling & Storage**

Page E2 of E2

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

**Handling:** Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale fumes from molten metals. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

**Section 8 Exposure Controls / Personal Protection**

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Copper, dusts and mists, as Cu	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

**Section 9 Physical & Chemical Properties**

**Appearance:** Solid. Red-brown, lustrous metal. Turns green on exposure to moist air.

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 1083°C (1981°F)

**Boiling point:** 2595°C (4703°F)

**Flash point:** Not applicable

**Evaporation rate ( = 1):** Not applicable  
**Flammability (solid/gas):** Not applicable  
**Explosion limits: Lower / Upper:** Not applicable  
**Vapor pressure (mm Hg):** 1 mm @ 1628°C  
**Vapor density (Air = 1):** Data not available  
**Relative density (Specific gravity):** 8.92 @ 20°C  
**Solubility(ies):** Insoluble

**Partition coefficient:** Data not available  
**Auto-ignition temperature:** Not applicable  
**Decomposition temperature:** Data not available.  
**Viscosity:** Data not available.  
**Molecular formula:** Cu  
**Molecular weight:** 63.55

**Section 10 Stability & Reactivity**

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures and heat.

**Incompatibilities with other materials:** Strong oxidizers may cause a violent reaction.

**Hazardous decomposition products:** At temperatures above melting point, toxic fumes or vapors may be emitted.

**Section 11 Toxicological Information**

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation of dust or fumes may irritate respiratory system.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation.

Eyes: Contact with eyes may cause irritation.

**Signs and symptoms of exposure:** Over-heating of alloy can produce metal fumes and oxides. Fumes of copper may cause metal fume fever with flu-like symptoms and skin and hair discolorization. Copper dust and fume cause irritation of the upper respiratory tract, metallic taste in the mouth, and nausea. Chronic poisoning results in Wilson's disease characterized by a hepatic cirrhosis, brain damage, demyelination, renal disease and copper deposition in the cornea.

**Additional information:** RTECS #: GL5325000

**Section 12 Ecological Information**

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Section 13 Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

**Section 14 Transport Information**

**UN/NA number:** None assigned

**Shipping name:** Not Regulated.

**Hazard class:** None assigned **Packing group:** None assigned **Reportable Quantity:** No **Marine pollutant:** No **Exceptions:** No

**Section 15 Regulatory Information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Copper	Listed	Not listed	Not listed	Listed	Not listed	Uncontrolled product

**Section 16 Additional Information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.

Revision Date: August 25, 2014

Supersedes: September 3, 2013

**Section 1 Chemical Product and Company Information**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
 Billings, MT 59102  
 800-860-6272  
 www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>COPPER METAL</b>
<b>Synonyms</b>	Copper Metal Powder / Copper Powder

**Section 2 Hazards Identification**

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** Not classified  
**Pictograms:** Not classified  
**Target organs:** Liver, Kidneys

**GHS Classification:** Not classified  
**GHS Label information: Hazard statement(s):** Not classified  
**Precautionary statement(s):** Not classified

**Supplemental information:**

Do not breathe dust or fume. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Ca Prop 65** - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Nommé Chimique	# CAS	%	EINECS
Copper metal	7440-50-8	100%	231-159-6

**Section 4 First Aid Measures**

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED AS FUME. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use triclass, dry chemical fire extinguisher. Do NOT use water on fire where molten metal is present.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

**Handling:** Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale fumes from molten metals. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Copper, dusts and mists, as Cu	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Solid. Red-brown, lustrous metal. Turns green on exposure to moist air.

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 1083°C (1981°F)

**Boiling point:** 2595°C (4703°F)

**Flash point:** Not applicable

**Evaporation rate ( = 1):** Not applicable

**Flammability (solid/gas):** Not applicable

**Explosion limits: Lower / Upper:** Not applicable

**Vapor pressure (mm Hg):** 1 mm @ 1628°C

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** 8.92 @ 20°C

**Solubility(ies):** Insoluble

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Not applicable

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** Cu

**Molecular weight:** 63.55

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures and heat.

**Incompatibilities with other materials:** Strong oxidizers may cause a violent reaction.

**Hazardous decomposition products:** At temperatures above melting point, toxic fumes or vapors may be emitted.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation of dust or fumes may irritate respiratory system. Symptoms include cough, headache, sore throat, shortness of breath.

Ingestion: May be harmful if swallowed. Symptoms include abdominal pain, nausea, vomiting.

Skin: May cause irritation and redness.

Eyes: Contact with eyes may cause redness and pain.

**Signs and symptoms of exposure:** Over-heating of alloy can produce metal fumes and oxides. Fumes of copper may cause metal fume fever with flu-like symptoms and skin and hair discolorization. Copper dust and fume cause irritation of the upper respiratory tract, metallic taste in the mouth, and nausea. Chronic poisoning results in Wilson's disease characterized by a hepatic cirrhosis, brain damage, demyelination, renal disease and copper deposition in the cornea.

**Additional information:** RTECS #: GL5325000

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2012 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Copper	Listed	Not listed	Not listed	Listed	Not listed	Uncontrolled product

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.

**Section 1 Chemical Product and Company Information****HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>COPPER(II) SULFATE, PENTAHYDRATE</b>
----------------	---

<b>Synonyms</b>	Cupric Sulfate, 5-Hydrate
-----------------	---------------------------

**Section 2 Hazards Identification****Signal word:** WARNING**Pictograms:** GHS07 / GHS09**Target organs:** Liver, Kidneys, Lungs, Spleen.**GHS Classification:**

Acute toxicity-oral (Category 4)

Skin irritation (Category 2)

Eye irritation (Category 2A)

Aquatic acute toxicity (Category 1)

Aquatic chronic toxicity (Category 1)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Cupric sulfate	7758-99-8	>99%	231-847-6 (anhydrous)

**Section 4 First Aid Measures**

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures****Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.**Section 6 Accidental Release Measures****Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Section 7 Handling & Storage**

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

**Section 8 Exposure Controls / Personal Protection**

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Copper, dusts and mists, as Cu	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

**Section 9 Physical & Chemical Properties**

<b>Appearance:</b> Blue, crystalline solid	<b>Evaporation rate ( = 1):</b> Not applicable	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> Odorless	<b>Flammability (solid/gas):</b> Not applicable	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available	<b>Explosion limits: Lower / Upper:</b> Not applicable	<b>Decomposition temperature:</b> 560°C (1040°F)
<b>pH:</b> 3.7-4.2 (10% solution)	<b>Vapor pressure (mm Hg):</b> 20 torr @ 22.5°C	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 150°C (302°F)	<b>Vapor density (Air = 1):</b> Data not available	<b>Molecular formula:</b> CuSO <sub>4</sub> •5H <sub>2</sub> O
<b>Boiling point:</b> Decomposes	<b>Relative density (Specific gravity):</b> 2.284	<b>Molecular weight:</b> 249.68
<b>Flash point:</b> Non-flammable	<b>Solubility(ies):</b> 31.6 g/100 ml water @ 0°C	

**Section 10 Stability & Reactivity**

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Hygroscopic material. Stable when kept dry, under normal temperature and pressure. Avoid high temperatures, exposure to air and incompatible materials.

**Incompatible materials:** Reducing agents, acetylene or nitromethane, magnesium, strong bases, alkalines, phosphates, hydrazine, zirconium. Can corrode aluminum, steel and iron.

**Hazardous decomposition products:** Oxides of sulfur and copper fumes.

**Section 11 Toxicological Information**

**Acute toxicity:** Oral-rat LD50: 300 mg/kg [Copper sulfate anhydrous]

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion: Ingestion can cause irritation to the digestive tract and abdominal pain.

Skin: Contact with skin causes slight irritation. Excessive exposure may cause allergic dermatitis. May cause irritation or burns on wet skin.

Eyes: Can cause severe irritation and may result in irreversible eye damage.

**Signs and symptoms of exposure:** *Note to physician:* Probable mucosal damage may contradict the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Wilson's disease can be aggravated by excessive exposure. Symptoms include nausea, vomiting, gastrointestinal pain, diarrhea, dizziness, jaundice, and general debility.

**Additional information:** RTECS #: GL8900000

**Section 12 Ecological Information**

**Toxicity to fish:** *Salmo gairdneri* (fish, estuary, fresh water), LC50 = < 0.75-0.84 mg/L [Copper sulfate anhydrous]

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Section 13 Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

**Section 14 Transport Information**

**UN/NA number:** UN3077 **Shipping name:** Environmentally hazardous substances, solid, n.o.s., (Cupric sulfate)

**Hazard class:** 9

**Packing group:** III

**Reportable Quantity:** 10 lbs (4.54 kg)

**Marine pollutant:** Yes

**Exceptions:** Non regulated equal to or less than 4.539 Kg ; Reportable quantity equal to or more than 4.54 Kg

**2012 ERG Guide #** 171

**Section 15 Regulatory Information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Cupric sulfate	Listed	10 lbs (4.54 kg)	Not listed	Not listed	Not listed	D2B

**Section 16 Additional Information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: August 20, 2014

Supersedes: February 22, 2013

**Section 1 Chemical Product and Company Information****HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>IRON(II) SULFATE, HEPTAHYDRATE</b>
----------------	---------------------------------------

<b>Synonyms</b>	Ferrous Sulfate, 7-Hydrate
-----------------	----------------------------

**Section 2 Hazards Identification****Signal word:** WARNING**Pictograms:** GHS07**Target organs:** Liver, Kidneys**GHS Classification:**

Acute toxicity (Category 4)

Skin irritant (Category 2)

Eye irritant (Category 2)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Ferrous sulfate, heptahydrate	7782-63-0	100%	231-753-5

**Section 4 First Aid Measures**

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. May cause respiratory tract irritation.

**EYE CONTACT:** CAUSES IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Section 7 Handling & Storage**

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

**Section 8 Exposure Controls / Personal Protection**

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Iron salts, soluble, as Fe	TWA: 1 mg/m <sup>3</sup>	None established	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

**Section 9 Physical & Chemical Properties**

<b>Appearance:</b> Solid. Blue-green crystalline powder	<b>Evaporation rate ( = 1):</b> Data not available	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> No odor.	<b>Flammability (solid/gas):</b> Not applicable	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> Not applicable	<b>Decomposition temperature:</b> Data not available
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> 14.6	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 72°C (147°F)	<b>Vapor density (Air = 1):</b> 9.6	<b>Molecular formula:</b> FeSO <sub>4</sub> ·7H <sub>2</sub> O
<b>Boiling point:</b> Decomposes	<b>Relative density (Specific gravity):</b> 1.897	<b>Molecular weight:</b> 278.02
<b>Flash point:</b> Not flammable	<b>Solubility(ies):</b> 16 g/100 ml water @ 20°C	

**Section 10 Stability & Reactivity**

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Hygroscopic material. Efflorescent in dry air. Oxidizes in moist air forming a brown coating of basic ferric sulfate.

**Incompatible materials:** Strong oxidizers, alkalies, nitric acid. Aqueous solutions are oxidized slowly by air when cold, rapidly when hot. Rate of oxidation increased by addition of alkali or exposure to light.

**Hazardous decomposition products:** Oxides of sulfur.

**Section 11 Toxicological Information**

**Acute toxicity:** Oral-rat LD50: 1480 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause respiratory tract irritation.

Ingestion: Ingestion can produce gastrointestinal tract disturbances, severe shock, vomiting, liver and kidney damage and even death.

Skin: Contact with skin may cause irritation or allergic reaction.

Eyes: Contact with eyes is irritating and can be damaging.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: NO8510000

**Section 12 Ecological Information**

**Toxicity to fish:** *Poecilia reticulata* (fish, fresh water), LC50 = 925 mg/l/96 hours

**Toxicity to daphnia and other aquatic invertebrates:** *Daphnia magna* (Crustacea), EC50 = 152 mg/l/48 hours

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Section 13 Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

**Section 14 Transport Information**

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** 1,000 lbs. (454 kg)

**Marine pollutant:** No

**Exceptions:** Not applicable

**2012 ERG Guide #** Not applicable

**Section 15 Regulatory Information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Ferrous sulfate, heptahydrate	Listed	1,000 lbs. (454 kg)	Not listed	Not listed	Not listed	Uncontrolled product

**Section 16 Additional Information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Revision Date:** September 10, 2014

**Supersedes:** December 18, 2012

**Section 1 Chemical Product and Company Identification**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency  
Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>IRON METAL FILINGS, DEGREASED</b>
----------------	--------------------------------------

<b>Synonyms</b>	Iron Aggregate / Iron Filings / Iron / Iron Metal
-----------------	---

**Section 2 Hazards Identification**

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

**Signal word:** None assigned  
**Pictograms:** None assigned  
**Target organs:** None known

**GHS Classification:**  
None assigned

**GHS Label information: Hazard statement:**  
None assigned

**Precautionary statement:**  
None assigned

**Supplemental information:**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Iron aggregate	65997-19-5	100%	266-048-1
<b>Contains:</b>			
Iron	1309-37-1	>90%	
Carbon	7440-44-0	<4.0%	
Silicon	7440-21-3	<3.0%	
Manganese	7439-96-5	<0.3-1.0%	
Chromium	7440-47-3	<0.0-0.2%	

**Section 4 First Aid Measures**

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam. Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. A fire hazard in the form of a fine dust dispersed in air or by chemical reaction with strong oxidizers can be an explosion hazard, especially when heated.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particulates not otherwise specified	TWA: 15 mg/m <sup>3</sup> Total dust	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Solid. Grey particles.

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 1508.49°C (2750°F)

**Boiling point:** Data not available

**Flash point:** Data not available

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** Data not available

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** 6.7 gm/cc

**Solubility(ies):** Insoluble in water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** Mixture

**Molecular weight:** Mixture

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition. Acids.

**Incompatible materials:** Strong oxidizers, organic acids, mineral acids, water.

**Hazardous decomposition products:** None known

## Section 11 Toxicological Information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause respiratory tract irritation.

Ingestion: No hazard known.

Skin: Contact with skin causes irritation.

Eyes: Contact may cause mechanical irritation and possible scratches to surface of the eye.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: Data not available

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2012 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL
Iron aggregate	Listed	Not listed	Not listed	Listed	Not listed

## Section 16 Other Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Information**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	POTASSIUM CHLORIDE
<b>Synonyms</b>	Muriate of Potash / Potassium Muriate / Potassium Monochloride

**Section 2 Hazards Identification**

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

**Signal word:** WARNING  
**Pictograms:** No symbol required  
**Target organs:** None known

**GHS Classification:**  
Acute toxicity, oral (Category 5)

**GHS Label information: Hazard statement:**  
H303: May be harmful if swallowed.

**Precautionary statement:**  
P312: Call a POISON CENTER or doctor if you feel unwell.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Potassium chloride	7447-40-7	95.0 - 99.5%	231-211-8
Sodium chloride	7647-14-5	0.3 - 3.7%	231-598-3
Calcium and Magnesium chlorides and sulfates	Various	0.2 - 1.3%	Various

**Section 4 First Aid Measures**

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



## Section 1 Chemical Product and Company Information

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>POTASSIUM THIOCYANATE</b>
----------------	------------------------------

<b>Synonyms</b>	Thiocyanic Acid, Potassium Salt / Potassium Sulfocyanate / Potassium Rhodanide
-----------------	--

## Section 2 Hazards Identification

**Signal word:** WARNING**Pictograms:** GHS07**Target organs:** Central nervous system, Cardiovascular system, Thyroid**GHS Classification:**

Acute toxicity, oral (Category 4)  
Acute toxicity, dermal (Catégorie 4)  
Acute toxicity, inhalation (Catégorie 4)  
Aquatic chronic (Category 3)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.  
H312: Harmful in contact with skin.  
H332: Harmful if inhaled.  
H412: Harmful to aquatic life with long lasting effects.

**Supplementary information:**

EUH032: Contact with acids liberates very toxic gas.

**Precautionary statement:**

P261: Avoid breathing dust.  
P264: Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well-ventilated area.  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330: IF SWALLOWED: Rinse mouth.  
P302+P352: IF ON SKIN: Wash with plenty of water and soap.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312: Call a POISON CENTER or doctor if you feel unwell.  
P362+P364: Take off contaminated clothing and wash it before reuse.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Potassium thiocyanate	333-20-0	100%	206-370-1

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Violent reactions have occurred when mixed with chlorates, nitrates and peroxides. Emits highly toxic fumes of cyanides upon decomposition.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Potassium thiocyanate	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. White crystals <b>Odor:</b> No odor <b>Odor threshold:</b> Data not available. <b>pH:</b> 5-7 (50 g/L) <b>Melting / Freezing point:</b> 173°C (343°F) <b>Boiling point:</b> 500°C (932°F) <b>Flash point:</b> Not flammable	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> Negligible <b>Vapor density (Air = 1):</b> 3.36 <b>Relative density (Specific gravity):</b> 1.886 <b>Solubility(ies):</b> 177 g/100 ml in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> KSCN <b>Molecular weight:</b> 97.18
---	---	--

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures and formation of dust.

**Incompatible materials:** Strong oxidizers and acids.

**Hazardous decomposition products:** Ammonia, hydrogen sulphide, carbonyl sulphide, nitric oxides, sulfur oxides, hydrocyanic acid, thiourea. Carbon disulfide and hydrogen sulfide may form upon reaction with strong acids. Carbon disulfide is very reactive and may react violently with oxidizing agents causing fire or explosion.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 854 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Causes coughing.

Ingestion: Causes confusion, convulsions, nausea, vomiting, weakness.

Skin: Contact with skin may cause irritation on prolonged contact.

Eyes: Contact with eyes cause irritation.

**Signs and symptoms of exposure:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: XL1925000

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2012 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Potassium thiocyanate	Listed	Not listed	Not listed	Listed	Not listed	Uncontrolled product

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Information**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency  
Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

**Product** LITHIUM CHLORIDE**Synonyms** None**Section 2 Hazards Identification****Signal word:** WARNING**Pictograms:** GHS07**Target organs:** Kidneys, Central nervous system, Reproductive system, Skin, Eyes**GHS Classification:**

Acute toxicity, oral (Category 4)

Skin irritation (Category 2)

Eye irritation (Category 2A)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Lithium chloride	7447-41-8	>99%	231-212-3

**Section 4 First Aid Measures**

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Readily absorbs moisture, keep dry.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Lithium chloride	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. White powder <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> 7-8 (50 g/L) <b>Melting / Freezing point:</b> 614°C (1137°F) <b>Boiling point:</b> 1382°C (2520°F) <b>Flash point:</b> Data not available	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> Data not available <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 2.068 <b>Solubility(ies):</b> 832 g/L @ 20°C in water.	<b>Partition coefficient:</b> (n-octanol / water): Low Kow: 2.66 <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> LiCl <b>Molecular weight:</b> 42.39
--	--	--

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Readily absorbs moisture, keep dry. This solution in water is corrosive to metals.

**Incompatible materials:** Strong oxidizers, strong acids, and bromine trifluoride.

**Hazardous decomposition products:** Hydrogen chloride and lithium compounds.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 526-840 mg/kg

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation of this material is irritating to the eyes, nose and throat.

Ingestion: Ingestion may cause a rash, ringing in the ears, nausea, vomiting, diarrhea, difficulty speaking, drowsiness, twitching, visual disturbances and coma. Chronic ingestion can also cause kidney damage, irregular heartbeat, low blood pressure, loss of appetite, thirst and circulatory failure.

Skin: Contact causes severe irritation, redness and swelling.

Eyes: Contact causes severe irritation, redness and swelling.

**Signs and symptoms of exposure:** This substance may have effects on the central nervous system, cardiovascular system, kidneys and thyroid. This may result in impaired functions. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: OJ5950000

## Section 12 Ecological Information

**Toxicity to fish:** Oncorhynchus mykiss (fish, fresh water), LC50 = 0.17 mg/L/6.5-11 hours

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2012 ERG Guide #** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Lithium chloride	Listed	Not listed	Not listed	Not listed	Not listed	Not listed

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Information****HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency  
Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>METHYL ORANGE, 0.1% AQUEOUS SOLUTION</b>
----------------	---

<b>Synonyms</b>	Methyl Orange, Water Solution
-----------------	-------------------------------

**Section 2 Hazards Identification****Signal word:** WARNING**Pictograms:** GHS07**Target organs:** Skin, Eyes**GHS Classification:**

Acute toxicity, oral (Category 4)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P330: Rinse mouth.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	99.9%	231-791-2
Methyl orange, pH indicator	547-58-0	0.1%	208-925-3

**Section 4 First Aid Measures**

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Section 7 Handling & Storage**

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area. Protect from light.

**Section 8 Exposure Controls / Personal Protection**

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particles not otherwise classified	None established	TWA: 5 mg/m <sup>3</sup> respirable fraction	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

**Section 9 Physical & Chemical Properties**

<b>Appearance:</b> Clear, orange liquid. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> Approximately 0°C (32°F) (water) <b>Boiling point:</b> Approximately 100°C (212°F) (water) <b>Flash point:</b> Data not available	<b>Evaporation rate ( Water = 1):</b> <1 <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> 14 (water) <b>Vapor density (Air = 1):</b> 0.7 (water) <b>Relative density (Specific gravity):</b> Approximately 1.0 (water) <b>Solubility(ies):</b> Complete in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> Mixture <b>Molecular weight:</b> Mixture
---	---	---

**Section 10 Stability & Reactivity**

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures which cause evaporation. Protect from light.

**Incompatible materials:** Strong oxidizers.

**Hazardous decomposition products:** Carbon oxides, nitrogen oxides and sulfur oxides.

**Section 11 Toxicological Information**

**Acute toxicity:** Oral-rat LD50: 60 mg/kg [Methyl orange]

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation.

Eyes: May cause irritation.

**Signs and symptoms of exposure:** To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

**Additional information: RTECS #:** DB6327000 [Methyl orange]

**Section 12 Ecological Information**

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Section 13 Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

**Section 14 Transport Information**

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2012 ERG Guide #:** Not applicable

**Section 15 Regulatory Information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Methyl orange	Listed	Not listed	Not listed	Listed	Not listed	Not listed

**Section 16 Additional Information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: September 10, 2014

Supersedes: February 8, 2013

## Section 1 Chemical Product and Company Information

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
 Billings, MT 59102  
 800-860-6272  
 www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>METHYL RED, INDICATOR SOLUTION</b>
<b>Synonyms</b>	Methyl Red, 0.02% Aqueous pH Indicator Solution

## Section 2 Hazards Identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

**Signal word:** Not classified  
**Pictograms:** Not classified  
**Target organs:** None known

**GHS Classification:** Not classified  
**GHS Label information: Hazard statement:** Not classified  
**Precautionary statement:** Not classified

**Supplementary information:**

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	99.98%	231-791-2
Methyl red, sodium salt	845-10-3	0.02%	212-682-9

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale mist/vapors/spray. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances. Protect from light.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Methyl red	None established	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, colorless red liquid. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> Approximately 0°C (32°F) (water) <b>Boiling point:</b> Approximately 100°C (212°F) (water) <b>Flash point:</b> Data not available	<b>Evaporation rate (Water = 1):</b> <1 <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> 14 (water) <b>Vapor density (Air = 1):</b> 0.7 (water) <b>Relative density (Specific gravity):</b> Approximately 1.0 (water) <b>Solubility(ies):</b> Complete in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> Mixture <b>Molecular weight:</b> Mixture
--	--	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures which cause evaporation. Protect from light.

**Incompatible materials:** Strong oxidizers, reducing agents.

**Hazardous decomposition products:** Carbon oxides, nitrogen oxides and sodium oxides.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat TD<sub>Lo</sub>: 12000 mg/kg [Methyl red]

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation.

Eyes: May cause irritation.

**Signs and symptoms of exposure:** To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: DG8960000 [Methyl red]

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2012 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Methyl red, sodium salt	Listed	Not listed	Not listed	Listed	Not listed	Not listed

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Information**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
 Billings, MT 59102  
 800-860-6272  
 www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory use only.  
 Not for drug, food or household use.

<b>Product</b>	MINERAL OIL
<b>Synonyms</b>	White Mineral Oil / Light Paraffin Oil

**Section 2 Hazards Identification**

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** None required  
**Pictograms:** No symbol required  
**Target organs:** None known

**GHS Classification:** None required  
**GHS Label information: Hazard statement:** None required  
**Precautionary statement:** None required

**Supplemental information:**

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Mineral oil	8042-47-5	100%	232-455-8

**Section 4 First Aid Measures**

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam. Do not use streams of water as this will scatter the liquid and spread the fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. If container is not properly cooled, it can rupture in the heat of a fire. Slight fire hazard. Material must be preheated before ignition will occur (OSHA IIIB).

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



**Section 1 Chemical Product and Company Information**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
 Billings, MT 59102  
 800-860-6272  
 www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>SODIUM BICARBONATE, ANHYDROUS</b>
<b>Synonyms</b>	Baking Soda / Sodium Hydrogen Carbonate / Carbonic Acid Sodium (1:1)

**Section 2 Hazards Identification**

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** Not classified  
**Pictograms:** Not classified  
**Target organs:** None known

**GHS Classification:** Not classified

**GHS Label information: Hazard statement(s):** Not classified

**Precautionary statement(s):**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Sodium bicarbonate	144-55-8	100%	205-633-8

**Section 4 First Aid Measures**

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. This material is commonly used to extinguish fires.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Store away from acids.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium bicarbonate	None established	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid, white crystalline powder. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> 8.2 (1% solution) <b>Melting / Freezing point:</b> Data not available <b>Boiling point:</b> Decomposes <b>Flash point:</b> Non combustible	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> Negligible <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 2.16 @ 20°C <b>Solubility(ies):</b> 8.6 g/100 ml water at 20°C	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> NaHCO <sub>3</sub> <b>Molecular weight:</b> 84.01
--	--	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable  
**Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** High temperature causes decomposition to sodium carbonate, water and carbon dioxide.  
**Incompatible materials:** Reacts with acids to yield acid salts, water and carbon dioxide.  
**Hazardous decomposition products:** Gaseous carbon dioxide.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 4220-4400 mg/kg  
**Skin corrosion/irritation:** Skin-rabbit - not irritating  
**Serious eye damage/irritation:** Eye-rabbit - not irritating  
**Respiratory or skin sensitization:** Non sensitizing  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
Inhalation: Excessive dust may irritate respiratory tract.  
Ingestion: Ingestion may cause gastrointestinal disturbance if ingested.  
Skin: No hazard known.  
Eyes: Contact with eyes may cause very slight irritation.  
**Signs and symptoms of exposure:** See Potential health effects above.  
**Additional information:** RTECS #: VZ0950000

## Section 12 Ecological Information

**Toxicity to fish:** *Gambusia affinis* (fish, freshwater) LC50: 7550 mg/l/24 hours  
**Toxicity to daphnia and other aquatic invertebrates:** *Daphnia magna* (Crustacea) EC50: 2350 mg/l/48 hours  
**Toxicity to algae:** *Nitzschia linearis* (Algae) LC50: 650 mg/l/5 day  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information

**UN/NA number:** Not applicable  
**Hazard class:** Not applicable  
**Exceptions:** Not applicable  
**Shipping name:** Not Regulated  
**Packing group:** Not applicable  
**2012 ERG Guide #** Not applicable  
**Reportable Quantity:** No  
**Marine pollutant:** No

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Sodium bicarbonate	Listed	Not listed	Not listed	Listed	Not listed	Uncontrolled product

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Information

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>AMMONIUM CHLORIDE</b>
<b>Synonyms</b>	Ammonium Muriate ; Sal Ammoniac

## Section 2 Hazards Identification

**Signal word:** WARNING  
**Pictograms:** GHS07  
**Target organs:** None known



**GHS Classification:**  
Acute toxicity, oral (Category 4)  
Eye irritation (Category 2A)

**GHS Label information: Hazard statement:**  
H302: Harmful if swallowed.  
H319: Causes serious eye irritation.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical attention.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Ammonium chloride	12125-02-9	100%	235-186-4

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Reacts violently with ammonium nitrate and potassium chlorate. This generates fire and explosion hazard. Vaporizes at temperatures of about 335°C (653°F) evolving fumes of nitrogen oxides, chloride ions and ammonia gas.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ammonium chloride fume	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	None established	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Solid, white, crystalline powder

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 520°C (968°F)

**Boiling point:** Sublimes @ 340°C (644°F)

**Flash point:** Data not available

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits:** as NH<sub>3</sub> Lower: 15% Upper: 28%

**Vapor pressure (mm Hg):** Data not available

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** 1.527

**Solubility(ies):** Soluble in water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** NH<sub>4</sub>Cl

**Molecular weight:** 53.49

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Somewhat hygroscopic. Has an acid reaction in aqueous solution, solid tends to lose ammonia and become more acid on exposure and in storage.

**Incompatible materials:** Oxidizing agents, acids, bases, lead and silver salts.

**Hazardous decomposition products:** Ammonia and hydrogen chloride.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 1,650 mg/kg

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation of dust or fume from heating may cause upper respiratory tract irritation, coughing, and choking sensation.

Ingestion: Ingestion of large doses cause nausea, vomiting, acidosis, irritation of the mouth, esophagus and gastric system. Ingestion may result in low grade toxicity.

Skin: Contact with skin causes irritation and/or dermatitis.

Eyes: Contact with eyes causes irritation and/or visual impairment.

**Signs and symptoms of exposure:** See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: BP4550000

## Section 12 Ecological Information

**Toxicity to fish:** Salmo clarki (fish, fresh water, marine), LC50 = 123.8 - 166.6 mg/L/96 hours

**Toxicity to daphnia and other aquatic invertebrates:** Artemia salina (Crustacea), EC50 = 28 mg/L/24 hours

**Toxicity to algae:** Dunaliella tertiolecta (Algae) EC40 = 21.3 mg/L/90 minutes

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No


**Marine pollutant:** No

**Exceptions:** Not applicable

**2012 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Ammonium chloride	Listed	5000 lbs (2270 kg)	Not listed	Listed	Not listed	 D2B

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Information**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

**Product** SALICYLIC ACID**Synonyms** 2-Hydroxybenzoic acid**Section 2 Hazards Identification****Signal word:** WARNING**Pictograms:** GHS07**Target organs:** Central nervous system, Kidneys, Pancreas**GHS Classification:**

Acute toxicity, oral (Category 4)

Eye irritation (Category 2B)

STOT SE (Category 3)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

**Precautionary statement:**

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Salicylic acid	69-72-7	100%	200-712-3

**Section 4 First Aid Measures**

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dusts may form flammable and explosive mixtures in air.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Light sensitive. Protect from light and moisture.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Salicylic acid	Not listed	Not listed	Not listed

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. White, crystalline powder. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> 2.4 <b>Melting / Freezing point:</b> 158-160°C (316-320°F) <b>Boiling point:</b> 211°C (412°F) <b>Flash point:</b> 157°C (315°F)	<b>Evaporation rate ( Butyl acetate = 1):</b> <1 <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower:</b> Ca. 1.1% @ 20°C <b>Upper:</b> N/A <b>Vapor pressure (mm Hg):</b> 1 mm @ 114°C <b>Vapor density (Air = 1):</b> 4.8 <b>Relative density (Specific gravity):</b> 1.443 (20°/4°) <b>Solubility(ies):</b> Slightly soluble in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> 540°C (1004°F) <b>Decomposition temperature:</b> 540°C (1004°F) <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> C <sub>7</sub> H <sub>6</sub> O <sub>3</sub> <b>Molecular weight:</b> 138.12
---	---	--

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures and heat. Light and moisture sensitive.

**Incompatible materials:** Strong oxidizers, iron salts, spirit nitrous ether, lead acetate and iodine.

**Hazardous decomposition products:** Oxides of carbon and phenol.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 891 mg/kg ; Inhalation-rat LC50: 0.9 mg/L/1 hour

**Skin corrosion/irritation:** Skin-rabbit - draize test 500 mg/24H - Mild irritant

**Serious eye damage/irritation:** Eyes-rabbit - draize test 100 mg - Severe

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation causes irritation of the mucous membrane and upper respiratory tract.

Ingestion: Ingestion causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause 'salicylism', characterized by headache, dizziness, ringing in the ears, hearing difficulty, visual disturbance, mental confusion, drowsiness, sweating, thirst, hyperventilation, nausea, vomiting and diarrhea. Severe salicylate intoxication may cause CNS disturbances such as convulsions and coma. skin eruptions, and alteration in the acid-base balance.

Skin: Contact causes irritation and possible burns, especially if the skin is wet or moist. May cause rash and eruptions.

Eyes: Contact causes severe irritation. May result in corneal injury.

**Signs and symptoms of exposure:** See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: VO0525000

## Section 12 Ecological Information

**Toxicity to fish:** Leuciscus idus (fish, fresh water), LC50 = 90 mg/L/48 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50 = 230 mg/L/24 hours

**Toxicity to algae:** Haematococcus pluvialis (Algae), EC10 = 165 mg/L/4 hours

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2012 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Salicylic acid	Listed	Not listed	Not listed	Listed	Not listed	 D2A

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Information**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
 Billings, MT 59102  
 800-860-6272  
 www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>STRONTIUM CHLORIDE, HEXAHYDRATE</b>
----------------	--

<b>Synonyms</b>	None listed
-----------------	-------------

**Section 2 Hazards Identification****Signal word:** DANGER**Pictograms:** GHS05**Target organs:** None known**GHS Classification:**

Eye damage (Category 1)

**GHS Label information: Hazard statement:**

H318: Causes serious eye damage.

**Precautionary statement:**

P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.  
 Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310: Immediately call a POISON CENTER or doctor.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Strontium chloride	10025-70-4	100%	233-971-6 (anhydrous)

**Section 4 First Aid Measures**

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures****Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.**Section 6 Accidental Release Measures****Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



**Section 1 Chemical Product and Company Information**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>THYMOL BLUE, 0.04% AQUEOUS SOLUTION</b>
----------------	--

<b>Synonyms</b>	Thymol Blue, Water Solution
-----------------	-----------------------------

**Section 2 Hazards Identification**

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** None required

**Pictograms:** No symbol required

**Target organs:** None known

**GHS Classification:** None required

**GHS Label information: Hazard statement:** None required

**Precautionary statement:** None required

**Supplemental information:**

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	99.96%	231-791-2
Thymol blue, sodium salt, water soluble	62625-21-2	0.04%	263-650-6

**Section 4 First Aid Measures**

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances. Protect from light.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Thymol blue	None established	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Yellow-orange liquid. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> Approximately 0°C (32°F) (water) <b>Boiling point:</b> Approximately 100°C (212°F) (water) <b>Flash point:</b> Data not available	<b>Evaporation rate ( Water = 1):</b> <1 <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> 14 (water) <b>Vapor density (Air = 1):</b> 0.7 (water) <b>Relative density (Specific gravity):</b> Approximately 1.0 (water) <b>Solubility(ies):</b> Complete in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> Mixture <b>Molecular weight:</b> Mixture
---	---	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures which cause evaporation. Protect from light.

**Incompatible materials:** Strong oxidizers.

**Hazardous decomposition products:** Carbon oxides, sulfur oxides and sodium oxides.

## Section 11 Toxicological Information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation.

Eyes: May cause irritation.

**Signs and symptoms of exposure:** To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

**Additional information: RTECS #:** Data not available

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2012 ERG Guide #:** Not applicable

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Thymol blue, sodium salt	Listed	Not listed	Not listed	Listed	Not listed	Not listed

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



CEMENT &amp; CONCRETE PRODUCTS™

## B2: Packaged Aggregates

**SAFETY DATA SHEET**  
(Complies with OSHA 29 CFR 1910.1200)

### SECTION I: PRODUCT IDENTIFICATION

The QUIKRETE® Companies  
One Securities Centre  
3490 Piedmont Road, Suite 1300  
Atlanta, GA 30305

Emergency Telephone Number  
(770) 216-9580  
Information Telephone Number  
(770) 216-9580

SDS B2  
Revision: May-15

**QUIKRETE® Product Name**  
Commercial Grade Sand

**Code #**  
Fine 1961  
Medium 1962  
Coarse 1963

**Product Use:** Silica aggregates for use in construction

### SECTION II - HAZARD IDENTIFICATION

**Hazard-determining components of labeling:** Silica

#### 2.1 Classification of the substance or mixture

Carcinogen – Category 1A  
Specific Target Organ Toxicity Single Exposure – Category 3  
Specific Target Organ Toxicity Repeat Exposure – Category 1  
Eye Irritant – Category 2B

#### 2.2a Signal word DANGER!

#### 2.2b Hazard Statements

May cause cancer through chronic inhalation  
May cause respiratory irritation  
Causes damage to lungs through prolonged or repeated inhalation  
Causes eye irritation if particles or dust get in eye

Industrial hygiene experts have studied long-term daily use of silica sands in sand-blasting and other occupations generating extreme volumes of dust. They have determined that long term, daily exposure to high concentrations of blasting sand dust causes damage to the lungs, may cause

**QUIKRETE****CEMENT & CONCRETE PRODUCTS™**

silicosis, and may cause cancer. **Do not use for sand blasting.** There are extensive OSHA precautions required for sand blasting.

### 2.2c Pictograms



### 2.2d Precautionary statements

Do not handle until all safety precautions have been read and understood.  
Wear protective gloves, eye protection, and protective clothing.  
Do not eat, drink or smoke when using this product.  
Wash thoroughly after handling.  
Use only in a well-ventilated area.  
Do not breathe dust.

If inhaled: Remove person to fresh air and keep comfortable for breathing.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Immediately seek medical advice or attention if symptoms are significant or persist.**

Dispose of contents/containers in accordance with all regulations.

### 2.3 Additional Information

**2.3a HNOC – Hazards not otherwise classified:** Not applicable

**2.3b Unknown Acute Toxicity:** None

#### 2.3c WHMIS Classification

Class D2A – Chronic Toxic Effects – Carcinogen  
Class D2B – Eye Irritant

### 2.3d Label Elements According To WHMIS

#### Hazard Symbols



**Signal Word**

DANGER!

---

**SECTION III - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

---

<u>Hazardous Components</u>	<u>CAS No.</u>	<u>% by Weight</u>
Sand, Silica, Quartz	14808-60-7	100

---

**SECTION IV – FIRST AID MEASURES**

---

**4.1 Description of the first-aid measures****General information:****After inhalation:** Remove person to fresh air and keep comfortable for breathing.**After skin contact:** Rinse skin with water.**After eye contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**After swallowing:** If conscious, have the victim drink plenty of water and call a physician immediately. Never give anything by mouth to an unconscious person.**4.2 Most important symptoms/effects, acute and delayed****Inhalation:** May cause respiratory tract irritation. Causes damage to organs through prolonged or repeated inhalation. This product contains crystalline silica. Prolonged or repeated inhalation of respirable silica from this product can cause silicosis.**Skin contact:** Causes mechanical skin irritation.**Eye Contact:** Causes eye irritation if particles or dust get in eye.**Ingestion:** Ingestion of large quantities may cause discomfort and/or distress, nausea or vomiting.**4.3 Indication of immediate medical attention and special treatment needed:**

Immediately seek medical advice or attention if symptoms are significant or persist.

---

**SECTION V - FIRE FIGHTING MEASURES**

---

**5.1 Flammability of the Product:** Non-flammable and non-combustible**5.2 Suitable extinguishing agents:** Treat for surrounding material**5.3 Special hazards arising from the substance or mixture:** None**5.3a Products of Combustion:** None**5.3b Explosion Hazards in Presence of Various Substances:** Non-explosive in presence of shocks

---

**SECTION VI – ACCIDENTAL RELEASE MEASURES**

---



**CEMENT & CONCRETE PRODUCTS™**

**6.1 Personal precautions, protective equipment and emergency procedures:** Wear personal protective equipment (See section VIII). Keep unprotected persons away.

**6.2 Methods and material for containment and cleaning up:**

Do not allow to enter sewers/ surface or ground water. Dispose of unwanted materials and containers properly in accordance with all regulations.

---

**SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND STORAGE**

---

**7.1 Handling**

**Precautions for safe handling: Do not use for sand blasting.** There are extensive OSHA precautions required for sand blasting. Ensure good ventilation/exhaustion at the workplace. DO NOT BREATHE DUST. In dusty environments, the use of an OSHA, MSHA or NIOSH approved respirator and tight fitting goggles is recommended. Wear appropriate PPE (See section 8). Do not mix with other chemical products, except as indicated by the manufacturer. Do not get in eyes, on skin or clothing. Good housekeeping is important to prevent accumulation of dust.

**7.2 Storage**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** Keep out of the reach of children.

---

**SECTION VIII – EXPOSURE CONTROL MEASURES / PERSONAL PROTECTION**

---

**8.1 Components with limit values that require monitoring at the workplace:**

Hazardous Components	CAS No.	PEL (OSHA) mg/M <sup>3</sup>	TLV (ACGIH) mg/M <sup>3</sup>
Silica Sand, crystalline	14808-60-7	0.1	0.025 (resp)

**8.2 Exposure Controls**

Use ventilation adequate to keep exposures below recommended exposure limits.

**8.3 General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

**8.3a Personal protective equipment**

**Protection of hands:**

Wear gloves of adequate length to offer appropriate skin protection from incidental contact. General duty work gloves have been found to offer adequate protection for most intended uses.

**Eye protection:**

Wear approved eye protection properly fitted dust- proof chemical safety glasses.

**Respiratory protection:**

A NIOSH-approved dust mask or filtering face piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional, following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

---

**SECTION IX - PHYSICAL/CHEMICAL CHARACTERISTICS**

---

**General Information**

<b>Appearance</b>	Form: Granular Solid Color: Varies Odor: None
<b>pH-value at 20°C (68 °F):</b>	Not applicable
<b>Boiling point/Boiling range:</b>	Not applicable
<b>Flash point:</b>	Not applicable
<b>Auto igniting:</b>	Product is not self-igniting
<b>Vapor pressure at 21°C (70°F)</b>	Not applicable
<b>Density at 25°C (77 °F):</b>	2.5-2.8

**Solubility in / Miscibility with**

<b>Water:</b>	Insoluble
<b>VOC content:</b>	0 g/L VOC

---

**SECTION X – STABILITY AND REACTIVITY**

---

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal storage conditions. Keep in dry storage.

**10.3 Possibility of hazardous reaction**

No dangerous reaction known under conditions of normal use.

**10.4 Thermal decomposition / conditions to be avoided**

No decomposition if used according to specifications.

**10.5 Incompatible materials**

Contact of silica with powerful oxidizing agents such as fluorine, chlorine trifluoride, manganese trioxide, or oxygen difluoride may cause fires

**10.6 Hazardous Decomposition or By-products**

Silica will dissolve in Hydrofluoric Acid and produce a corrosive gas – silicon tetrafluoride.

---

**SECTION XI – TOXICOLOGICAL INFORMATION**

---

**11.1 Exposure Routes:** Inhalation, skin contact, eye contact, or ingestion.

**11.2 Symptoms related to physical/chemical/toxicological characteristics:**

**Inhalation:** May cause respiratory tract irritation. Causes damage to organs through prolonged or repeated exposure. This product contains crystalline silica. Prolonged or repeated inhalation of respirable silica from this product can cause silicosis.

**Skin contact:** May cause mechanical skin irritation.

**Eye Contact:** Causes eye irritation if particles or dust gets in eye.

**Ingestion:** Ingestion of large quantities may cause discomfort and/or distress.

**11.3 Delayed, immediate and chronic effects of short-term and long-term exposure**

**Short Term**

Skin Corrosion/Irritation: Not applicable

Serious Eye Damage/Irritation: Causes eye irritation if particles or dust gets in eye

Respiratory Sensitization: Not applicable

Skin Sensitization: Not applicable

Specific Target Organ Toxicity-Single Exposure: (Category 3) May cause respiratory irritation

Aspiration Hazard: Not applicable

**Long Term**

Carcinogenicity: May cause cancer through chronic inhalation.

Germ Cell Mutagenicity: Not applicable

Reproductive Toxicity: Not applicable

Specific Target Organ Toxicity- Repeated Exposure: (Category 1) Causes damage to lungs through prolonged/repeated exposure

Synergistic/Antagonistic Effects: Not applicable

---

**SECTION XII – ECOLOGICAL INFORMATION**

---

**12.1 Ecotoxicity**

No further relevant information available.

**12.2 Persistence and degradability**

No further relevant information available.

**12.3 Bioaccumulative potential:**

No further relevant information available.

**12.4 Mobility in soil**

No further relevant information available.

**12.5 Other Adverse Effects**

No further relevant information available.

---

**SECTION XIII – DISPOSAL CONSIDERATIONS**

---



**CEMENT & CONCRETE PRODUCTS™**

### 13.1 Waste Disposal Method

The packaging and material may be land filled; however, material should be covered to minimize generation of airborne dust. This product is not classified as a hazardous waste under the authority of the RCRA (40CFR 261) or CERCLA (40CFR 117&302). Disposal must be made in accordance with local, state and federal regulations.

### 13.2 Other disposal considerations

#### Uncleaned packaging

**Recommendation:** Disposal must be made in accordance with local, state and federal regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

---

## SECTION XIV – TRANSPORT INFORMATION

---

	<b>DOT (U.S.)</b>	<b>TDG (Canada)</b>
<b>UN-Number</b>	Not Regulated	Not Regulated
<b>UN proper shipping name</b>	Not Regulated	Not Regulated
<b>Transport Hazard Class(es)</b>	Not Regulated	Not Regulated
<b>Packing Group (if applicable)</b>	Not Regulated	Not Regulated

### 14.1 Environmental hazards:

Not applicable

### 14.2 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code

Not applicable

### 14.3 Special precautions for user

Do not handle until all safety precautions have been read and understood.

---

## SECTION XV – OTHER REGULATORY INFORMATION

---

### 15.1 Safety, Health and Environmental Regulations/Legislations specific for the chemical

#### Canada

**WHMIS Classification:** Considered to be a D2A and D2B hazardous material under the Hazardous Products Act as defined by the Controlled Products Regulations and subject to the requirements of Health Canada's Workplace Hazardous Material Information (WHMIS). This document complies with the WHMIS requirements of the Hazardous Products Act (HPA) and the CPR.

### 15.2 US Federal Information

#### SARA 302/311/312/313 Components

**CEMENT & CONCRETE PRODUCTS™**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302, 311, 312 or 313.

**RCRA:** Crystalline silica (quartz) is not classified as a hazardous waste under the Resource Conservation and Recovery Act, or its regulations, 40 CFR §261 et seq.

**CERCLA:** Crystalline silica (quartz) is not classified as a hazardous substance under regulations of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), 40 CFR §302.

**Emergency Planning and Community Right to Know Act (SARA Title III):** Crystalline silica (quartz) is not an extremely hazardous substance under Section 302 and is not a toxic chemical subject to the requirements of Section 313.

**FDA:** Silica is included in the list of substances that may be included in coatings used in food contact surfaces, 21 CFR §175.300(b)(3)(xxvi).

**NTP:** Respirable crystalline silica, primarily quartz dusts occurring in industrial and occupational settings, is classified as Known to be a Human Carcinogen.

**OSHA Carcinogen:** Crystalline silica (quartz) is not listed.

### 15.3 State Right to Know Laws

#### California Prop. 65 Components

**WARNING:** This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

**California Inhalation Reference Exposure Level (REL):** California established a chronic REL of 3 µg for silica (crystalline, respirable). A chronic REL is an airborne level of a substance at or below which no adverse health effects are anticipated in individuals indefinitely exposed to the substance at that level.



**Massachusetts Toxic Use Reduction Act:** Silica, crystalline (respirable size, <10 microns) is "toxic" for purposes of the Massachusetts Toxic Use Reduction Act.

### 15.4 Global Inventories

**DSL** All components of this product are on the Canadian DSL list.

**TSCA No.:** Crystalline silica (quartz) appears on the EPA TSCA inventory under the CAS No. 14808-60-7. All constituents are listed in the TSCA inventory.

## 15.5 NFPA Ratings



### SECTION XVI – OTHER INFORMATION

Last Updated: May 26, 2015

**NOTE:** The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products.

Prepared by

The QUIKRETE® Companies  
 Phone (800) 282-5828  
[www.QUIKRETE.com](http://www.QUIKRETE.com)

**End of SDS**

## Section 1 Chemical Product and Company Information

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>ACETONE</b>
<b>Synonyms</b>	2-Propanone / Dimethyl Ketone / Solvent

## Section 2 Hazards Identification

**Signal word:** DANGER  
**Pictograms:** GHS02 / GHS07  
**Target organs:** Central nervous system



**GHS Classification:**  
Flammable liquid (Category 2)  
Eye irritation (Category 2A)  
STOT-SE (Category 3)

**GHS Label information: Hazard statement:**  
H225: Highly flammable liquid and vapour.  
H319: Causes serious eye irritation.  
H336: May cause drowsiness or dizziness.

**Supplemental information:**  
Repeated exposure may cause skin dryness or cracking.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233: Keep container tightly closed.  
P240: Ground/bond container and receiving equipment.  
P241: Use explosion-proof electrical/ventilating/lighting equipment.  
P242: Use only non-sparking tools.  
P243: Take precautionary measures against static discharge.  
P261: Avoid breathing mist/vapours/spray.  
P264: Wash hands thoroughly after handling.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical attention.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312: Call a POISON CENTER or doctor if you feel unwell.  
P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P405+P235: Store locked up. Keep cool.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Acetone	67-64-1	100%	200-662-2

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** REPEATED OR PROLONGED CONTACT MAY CAUSE DRYING AND DEFATTING OF SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Acetone is extremely flammable and its vapors form explosive mixtures with air. Dangerous when exposed to heat, sparks, flame or oxidizing agents.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



**Section 1 Chemical Product and Company Information****HOME SCIENCE TOOLS**

665 Carbon Street  
 Billings, MT 59102  
 800-860-6272  
 www.homesciencetools.com

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>SULFUR</b>
<b>Synonyms</b>	Sulfur Flowers ; Sulfur Flour

**Section 2 Hazards Identification**

**Signal word:** WARNING  
**Pictograms:** GHS07  
**Target organs:** None known



**GHS Classification:**  
 Skin irritation (Category 2)

**GHS Label information: Hazard statement:**  
 H315: Causes skin irritation.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+P352: IF ON SKIN: Wash with plenty of water and soap.  
 P332+P313: If skin irritation occurs: Get medical attention.  
 P362+P364: Take off contaminated clothing and wash it before reuse.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Sulfur	7704-34-9	100%	231-722-6

**Section 4 First Aid Measures**

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Finely dispersed particles form explosive mixtures in air.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Section 7 Handling & Storage**

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

**Section 8 Exposure Controls / Personal Protection**

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sulfur	None established	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

**Section 9 Physical & Chemical Properties**

<b>Appearance:</b> Solid yellow powder or lumps. <b>Odor:</b> Odor of rotten eggs <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> 116-121°C (242-251°F) <b>Boiling point:</b> 444°C (831°F) <b>Flash point:</b> 207°C (405°F) Closed Cup	<b>Evaporation rate ( = 1):</b> Not applicable <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> 3.3% / 46.0% <b>Vapor pressure (mm Hg):</b> 0 @ 138°C (280°F) <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 2.04-2.07 @ 21°C (67°F) <b>Solubility(ies):</b> Insoluble in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> 248°C (478°F) <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> S <b>Molecular weight:</b> 32.06
---	--	--

**Section 10 Stability & Reactivity**

**Chemical stability:** Stable  
**Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.  
**Incompatible materials:** Reacts violently with strong oxidizing agents. Corrosive to copper and copper alloys. Damp sulfur will corrode steel.  
**Hazardous decomposition products:** Sulfur dioxide.

**Section 11 Toxicological Information**

**Acute toxicity:** Oral-rat LD50: >5000 mg/kg ; Inhalation-rat LC50: 0.067 mg/L/4hours ; Dermal-rabbit LD50: >2000 mg/kg  
**Skin corrosion/irritation:** Skin-rabbit - Irritant.  
**Serious eye damage/irritation:** Data not available  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
Inhalation: Burning sensation, cough, sore throat. May cause inflammation of the the nose and respiratory tract.  
Ingestion: Burning sensation, diarrhea.  
Skin: Redness. Prolonged or repeated contact may cause dermatitis.  
Eyes: Redness, pain, blurred vision.  
**Signs and symptoms of exposure:** See Potential health effects above.  
**Additional information:** RTECS #: WS4250000

**Section 12 Ecological Information**

**Toxicity to fish:** Brachydanio rerio (fish, fresh water), LC50 = 866 mg/L/96 hours  
**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50 = >10,000 mg/L/24 hours  
**Toxicity to algae:** No data available  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Section 13 Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

**Section 14 Transport Information**

**UN/NA number:** NA1350  
**Shipping name:** Sulfur  
**Hazard class:** 9  
**Packing group:** III  
**Exceptions:** No exceptions  
**2012 ERG Guide #** 133  
**Reportable Quantity:** No  
**Marine pollutant:** No

**Section 15 Regulatory Information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Sulfur	Listed	Not listed	Not listed	Listed	Not listed	B4

**Section 16 Additional Information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: September 10, 2014

Supersedes: March 1, 2013

## Section 1 Chemical Product and Company Information

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>POTASSIUM NITRATE</b>
----------------	--------------------------

<b>Synonyms</b>	Potash Nitrate / Saltpeter
-----------------	----------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS03 / GHS07**Target organs:** Red blood cells**GHS Classification:**

Oxidizing solid (Category 2)

Skin irritation (Category 2)

Eye irritation (Category 2B)

STOT-SE (Category 3)

**GHS Label information: Hazard statement:**

H272: May intensify fire; oxidizer.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P220: Keep away from clothing/incompatible/combustible materials.

P221: Take any precaution to avoid mixing with combustibles/reducing agents.

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378: In case of fire: Use water to extinguish.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Potassium nitrate	7757-79-1	100%	231-818-8

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use water. Do not use dry chemicals or foams. CO<sub>2</sub> or Halon<sup>®</sup> may provide limited control.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Not combustible but enhances combustion of other substances. Risk of fire and explosion on contact with reducing agents.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Potassium nitrate	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Solid. White crystals or prills

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 333°C (631°F)

**Boiling point:** 400°C (752°F)

**Flash point:** Not flammable

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** Negligible

**Vapor density (Air = 1):** 3.0

**Relative density (Specific gravity):** 2.1

**Solubility(ies):** 36 g/100 ml in water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** KNO<sub>3</sub>

**Molecular weight:** 101.11

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Heavy metals, phosphites, organic compounds, carbonaceous materials, strong acids and many other materials.

**Hazardous decomposition products:** Nitrogen oxides and toxic metal fumes.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 3015 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation causes cough, sore throat.

Ingestion: Ingestion causes abdominal pain, blue lips, fingernails and skin, dizziness, labored breathing, confusion, convulsions, diarrhea, headache, nausea, unconsciousness.

Skin: Contact with skin causes redness.

Eyes: Contact with eyes causes redness and pain.

**Signs and symptoms of exposure:** Ingestion could cause effects on the blood. This may result in formation of methaemoglobin. The effects may be delayed. Medical observation is indicated. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: TT3700000

## Section 12 Ecological Information

**Toxicity to fish:** Poecilia reticulata (fish, fresh water), LC50 = 1378 mg/L/96 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), TLm = 39 mg/L/96 hours

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1486

**Shipping name:** Potassium nitrate

**Hazard class:** 5.1

**Packing group:** III

**Reportable Quantity:** No


**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 5 Kg

**2012 ERG Guide #** 140

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Potassium nitrate	Listed	Not listed	D001	Listed	Not listed	 C

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Information

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>POTASSIUM PERMANGANATE</b>
----------------	-------------------------------

<b>Synonyms</b>	Chameleon Mineral
-----------------	-------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS03 / GHS07 / GHS09**Target organs:** None known**GHS Classification:**

Oxidizing solid (Category 2)  
Acute toxicity, ingestion (Category 4)  
Aquatic acute (Category 1)  
Aquatic chronic (Category 1)

**GHS Label information: Hazard statement:**

H272: May intensify fire; oxidizer.  
H302: Harmful if swallowed.  
H400: Very toxic to aquatic life.  
H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P220: Keep away from clothing/incompatible/combustible materials.  
P221: Take any precaution to avoid mixing with combustibles/acids/oxidizers.  
P264: Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P273: Avoid release to the environment.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.  
P370+P378: In case of fire: Use water to extinguish.  
P391: Collect spillage.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Potassium permanganate	7722-64-7	100%	231-760-3

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE BURNS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use water. Do not use dry chemicals or foams. CO<sub>2</sub> or Halon® may provide limited control.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Powerful oxidizing material, will accelerate burning when involved in a fire. Explosive in contact with sulfuric acid or hydrogen peroxide. May react explosively with hydrocarbons (fuels). May ignite combustibles (wood, paper, oil, clothing, etc.). Spontaneously flammable on contact with glycerin or ethylene glycol.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Section 7 Handling & Storage**

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

**Section 8 Exposure Controls / Personal Protection**

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Manganese and inorganic compounds, as Mn	TWA: 0.2 mg/m <sup>3</sup> (A4)	STEL: C 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> / STEL: 3 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

**Section 9 Physical & Chemical Properties**

<b>Appearance:</b> Solid, shiny, dark purple crystals. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> 7-9 (20 g/L water) <b>Melting / Freezing point:</b> Decomposes <b>Boiling point:</b> Decomposes <b>Flash point:</b> Data not available	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> Data not available <b>Vapor density (Air = 1):</b> 5.47 <b>Relative density (Specific gravity):</b> 2.7032 @ 25°C <b>Solubility(ies):</b> 6.5 g/100 ml water @ 20°C	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> 150°C (302°F) <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> KMnO <sub>4</sub> <b>Molecular weight:</b> 158.04
---	---	--

**Section 10 Stability & Reactivity**

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Avoid exposure to incompatible materials and excessive temperatures.

**Incompatible materials:** Alcohols, arsenites, bromides, iodides, charcoal, hydrochloric acid, organic materials, ferrous or mercurous salts, hypophosphites, hyposulfites, sulfites, peroxides, oxalates, strong reducing agents, strong acids, formaldehyde, ethylene glycol, combustible organics, metal powders.

**Hazardous decomposition products:** Oxygen, oxides of potassium, oxides of manganese.

**Section 11 Toxicological Information**

**Acute toxicity:** Oral-rat LD50: 750 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause burning sensation, cough, sore throat, shortness of breath, labored breathing. Symptoms may be delayed.

Ingestion: Ingestion causes burning sensation, abdominal pain, diarrhea, nausea, vomiting, shock or collapse.

Skin: Contact with skin causes redness, burns and pain.

Eyes: Contact with eyes causes redness, pain and severe deep burns.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: SD6475000

**Section 12 Ecological Information**

**Toxicity to fish:** *Gambusia affinis* (fish, fresh water), LC100 = 18 mg/L/24 hours

**Toxicity to daphnia and other aquatic invertebrates:** *Daphnia magna* (Crustacea), EC0 = >0.63 mg/L

**Toxicity to algae:** *Anabaena* sp. (Algae), EC50 = <0.5 mg/L/18 days/growth rate

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Section 13 Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

**Section 14 Transport Information**

**UN/NA number:** UN1490

**Shipping name:** Potassium permanganate

**Hazard class:** 5.1

**Packing group:** II

**Reportable Quantity:** 100 lbs (45.4 kg)

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 Kg

**2012 ERG Guide #** 140

**Section 15 Regulatory Information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Potassium permanganate	Listed	100 lbs (45.4 kg)	D001	Listed	Not listed	C ; E

**Section 16 Additional Information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: September 5, 2014

Supersedes: September 6, 2013

## Section 1 Chemical Product and Company Information

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>SODIUM NITRATE</b>
----------------	-----------------------

<b>Synonyms</b>	Nitrate of Soda / Chile Saltpeter
-----------------	-----------------------------------

## Section 2 Hazards Identification

**Signal word:** WARNING**Pictograms:** GHS03 / GHS07**Target organs:** Red blood cells**GHS Classification:**

Oxidizing solid (Category 3)

Acute toxicity, oral (Category 4)

Eye irritation (Category 2A)

**GHS Label information: Hazard statement:**

H272: May intensify fire; oxidizer.

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P220: Keep away from clothing/incompatible/combustible materials.

P221: Take any precaution to avoid mixing with combustibles/acids/oxidizers.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P370+P378: In case of fire: Use water to extinguish.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Sodium nitrate	7631-99-4	100%	231-554-3

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Use water. Do not use dry chemicals or foams. CO<sub>2</sub> or Halon® may provide limited control.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Although not flammable, substance is a strong oxidizer which releases oxygen on heating, increasing the burning rate of any material with a flare-burning effect. It may cause re-ignition after a fire is extinguished.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from combustible or reducing agents.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium nitrate	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid, colorless crystals. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> 307°C (584°F) <b>Boiling point:</b> Data not available <b>Flash point:</b> Non-flammable	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> Negligible <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 2.261 @ 25°C <b>Solubility(ies):</b> 73 g/100 mL water	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> 380°C (716°F) <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> NaNO <sub>3</sub> <b>Molecular weight:</b> 84.99
---	--	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition. Keep away from combustible or reducing agents.

**Incompatible materials:** Combustible materials, reducing agents, strong acids and flammable materials.

**Hazardous decomposition products:** Nitrogen oxides.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 1267 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Cough and sore throat.

Ingestion: Abdominal pain, cyanosis (blue lips, fingernails and skin), convulsions, diarrhea, dizziness, headache, labored breathing, confusion, nausea, unconsciousness.

Skin: Redness.

Eyes: Redness and pain.

**Signs and symptoms of exposure:** Ingestion could cause effects on the blood. This may result in formation of methaemoglobin. The effect may be delayed. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: WC560000

## Section 12 Ecological Information

**Toxicity to fish:** Lepomis macrochirus (fish, fresh water), LC50 = 12,800 mg/L/24 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), LC50 = 6,000 mg/L/24 hours

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1498

**Shipping name:** Sodium nitrate

**Hazard class:** 5.1

**Packing group:** III

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 5 Kg

**2012 ERG Guide #** 140

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Sodium nitrate	Listed	Not listed	D001	Listed	Not listed	C; D2B

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Information****HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	HYDROCHLORIC ACID, 32-36%
----------------	---------------------------

<b>Synonyms</b>	Muriatic Acid ; Hydrogen Chloride
-----------------	-----------------------------------

**Section 2 Hazards Identification****Signal word:** DANGER**Pictograms:** GHS05 / GHS07**Target organs:** Respiratory system, skin, eyes, lungs.**GHS Classification:**

Serious eye damage (Category 1)

Skin corr. (Category 1B)

STOT SE (Category 3)

**GHS Label information: Hazard statement(s):**

H314: Causes severe skin burns and eye damage.

H335: May cause respiratory irritation.

**Precautionary statement(s):**

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor/physician.

P363: Wash contaminated clothing before reuse.

P403/233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to an approved waste disposal plant.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Water	7732-18-5	64-68%	231-791-2
Hydrochloric acid	7647-01-0	32-36%	231-595-7

**Section 4 First Aid Measures****INGESTION:** Harmful if swallowed. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.**EYE CONTACT:** Causes eye burns. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** Causes skin burns. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.**Section 5 Fire Fighting Measures****Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with metals produce hydrogen, which is flammable and may produce explosive mixtures with air.**Section 6 Accidental Release Measures****Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Neutralize spill with sodium bicarbonate or calcium hydroxide, absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



**Section 1 Chemical Product and Company Information****HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>SODIUM HYDROXIDE, ANHYDROUS</b>
----------------	------------------------------------

<b>Synonyms</b>	Caustic Soda
-----------------	--------------

**Section 2 Hazards Identification****Signal word:** DANGER**Pictograms:** GHS05**Target organs:** Respiratory tract, gastrointestinal tract, eyes, skin.**GHS Classification:**

Skin. Corr. (Category 1A)

**GHS Label information: Hazard statement:**

H314: Causes severe skin burns and eye damage.

**Precautionary statement:**

P260: Do not breathe dust.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Sodium hydroxide	1310-73-2	96-100%	215-185-5

**Section 4 First Aid Measures****INGESTION:** MAY BE FATAL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.**EYE CONTACT:** CAUSES SEVERE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** CAUSES SEVERE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.**Section 5 Fire Fighting Measures****Suitable Extinguishing Media:** Flood with water, taking care not to splash or scatter. Avoid carbon dioxide as it reacts exothermically with this material.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** Contact with metals can generate hydrogen gas. Contact with water produces intense heat and highly irritating and corrosive mist. Hot or molten material will react violently with water liberating heat and causing splashing. Contact with water may generate sufficient heat to ignite combustible materials.**Section 6 Accidental Release Measures****Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Section 7 Handling & Storage**

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

**Section 8 Exposure Controls / Personal Protection**

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium hydroxide	STEL: C 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	STEL: C 2 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

**Section 9 Physical & Chemical Properties**

<b>Appearance:</b> Solid white beads or pellets. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> 13.0 - 14.0 <b>Melting / Freezing point:</b> 318°C (604°F) <b>Boiling point:</b> 1390°C (2534°F) <b>Flash point:</b> Not applicable.	<b>Evaporation rate ( = 1):</b> Not applicable. <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Not applicable. <b>Vapor pressure (mm Hg):</b> 1 mm Hg @ 739°C <b>Vapor density (Air = 1):</b> Not applicable. <b>Relative density (Specific gravity):</b> 2.13 @ 25°C (77°F) <b>Solubility(ies):</b> 29.6 @ 0°C (32°F) in water	<b>Partition coefficient: (n-octanol / water):</b> Data not available. <b>Auto-ignition temperature:</b> Not applicable. <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Not applicable. <b>Molecular formula:</b> NaOH <b>Molecular weight:</b> 40.00
---	---	---

**Section 10 Stability & Reactivity**

**Chemical stability:** Stable  
**Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** Deliquescent material. Absorbs moisture from air. Can react with carbon dioxide to form sodium carbonate.  
**Incompatible materials:** Metals, acids, organic compounds, organic nitro compounds.  
**Hazardous decomposition products:** Sodium oxide. Reacts with metals to form flammable and explosive hydrogen gas.

**Section 11 Toxicological Information**

**Acute toxicity:** Data not available  
**Skin corrosion/irritation:** Skin - rabbit - Causes severe burns. - 24 h  
**Serious eye damage/irritation:** Eyes - rabbit - Severe eye irritation - 24 h  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
 IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
 Inhalation: May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.  
 Ingestion: May be harmful if swallowed.  
 Skin: May be harmful if absorbed through skin. Causes skin burns.  
 Eyes: Causes eye burns. Causes severe eye burns.  
**Signs and symptoms of exposure:** Spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.  
**Additional information:** RTECS #: WB4900000

**Section 12 Ecological Information**

**Toxicity to fish:** LC50 - Gambusia affinis (Mosquito fish) - 125 mg/l - 96 h  
**Toxicity to daphnia and other aquatic invertebrates:** Immobilization EC50 - Daphnia - 40.38 mg/l - 48 h  
**Toxicity to algae:** No data available  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Section 13 Disposal Considerations**


These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

**Section 14 Transport Information**

**UN/NA number:** UN1823      **Shipping name:** Sodium hydroxide, solid  
**Hazard class:** 8      **Packing group:** II      **Reportable Quantity:** 1,000 lbs (454 kg)      **Marine pollutant:** No  
**Exceptions:** Limited quantity equal to or less than 1 Kg      **2012 ERG Guide #** 154

**Section 15 Regulatory Information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Sodium hydroxide	Listed	1,000 lbs (454 kg)	D002	Listed	Not listed	 E

**Section 16 Additional Information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Information****HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

**Product** SULFURIC ACID, CONCENTRATE, 95-98%

**Synonyms** Sulfuric Acid / Hydrogen Sulfate / Battery Acid

**Section 2 Hazards Identification**

**Signal word:** DANGER

**Pictograms:** GHS05

**Target organs:** Respiratory system, skin, eyes, teeth.



**GHS Classification:**

Skin corr. (Category 1A)

**GHS Label information: Hazard statement(s):**

H314: Causes severe skin burns and eye damage.

**Precautionary statement(s):**

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Sulfuric acid	7664-93-9	95-98%	231-639-5

**Section 4 First Aid Measures**

**INGESTION:** Harmful or fatal if swallowed. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Harmful or fatal if inhaled. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Causes severe burns. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Causes severe burns. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Product is a water reactive material, DO NOT USE WATER! Use dry chemicals only for extinguishing.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water on combustibles burning in vicinity of acid but use care as water applied to the acid results in severe generation of heat and may cause boiling and splattering. Sulfuric acid will not burn, but is capable of igniting finely divided combustible materials on contact. May react violently with organic materials and water with the evolution of heat. Contact with reactive metals, e.g. aluminum, may result in the generation of flammable hydrogen gas.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

## Section 7 Handling & Storage

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Hygroscopic material. Never add water to this solution, always add acid, slowly and in small amounts to water to avoid splattering.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sulfuric acid	TWA: 0.2 mg/m <sup>3</sup> (A2)	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical & Chemical Properties

**Appearance:** Clear, oily liquid.

**Odor:** Slightly pungent odor.

**Odor threshold:** Data not available.

**pH:** <1.5 acidic, in solution.

**Melting / Freezing point:** <11°C (52°F)

**Boiling point:** Approximately 275-325°C (527-617°F)

**Flash point:** Not flammable.

**Evaporation rate ( = 1):** Data not available.

**Flammability (solid/gas):** Data not available.

**Explosion limits: Upper/Lower:** Data not available.

**Vapor pressure (mm Hg):** Variable

**Vapor density (Air = 1):** Data not available.

**Relative density (Specific gravity):** 1.84

**Solubility(ies):** Complete in water.

**Partition coefficient: (n-octanol / water):** Data not available.

**Auto-ignition temperature:** Data not available.

**Decomposition temperature:** 340°C (644°F)

**Viscosity:** Data not available.

**Molecular formula:** H<sub>2</sub>SO<sub>4</sub>

**Molecular weight:** 98.01

## Section 10 Stability & Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Avoid contact with water and heat. Avoid temperatures above 250°C (482°F).

**Incompatible materials:** Alkalies, amines, anhydrides, combustibles, organics, oxidizers, powdered metals.

**Hazardous decomposition products:** Sulfur trioxide and/or sulfur dioxide. Hydrogen gas by reaction with metals.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 2140 mg/kg ; Inhalation-rat LC50: 510 mg/m<sup>3</sup>/2 hours

**Skin corrosion/irritation:** Skin-rabbit - causes burns

**Serious eye damage/irritation:** Eyes-rabbit - causes burns

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: This product contains a chemical known to be a human carcinogen.

IARC classified: Group 1: Carcinogenic to humans. [Acid mists, strong inorganic]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

**Inhalation:** Inhalation of this material is irritating and/or corrosive to the nose, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung function. Inhalation of high concentrations may result in permanent lung damage. Repeated inhalation may cause bronchitis, and also etching of dental enamel followed by the erosion of the enamel and dentine with loss of tooth substance.

**Ingestion:** Ingestion may cause irritation and/or burns to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration.

**Skin:** Skin contact can cause severe irritation and/or burns characterized by redness, swelling and scab formation.

**Eyes:** Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.

**Signs and symptoms of exposure:** Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

**Additional information:** RTECS #: WS5600000

## Section 12 Ecological Information

**Toxicity to fish:** LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h (sulfuric acid)

**Toxicity to daphnia and other aquatic invertebrates:** Crangon crangon (crustacea) 70-80 mg/l/48 hours

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information

**UN/NA number:** UN1830

**Shipping name:** Sulfuric acid

**Hazard class:** 8

**Packing group:** II

**Reportable Quantity:** 1,000 lbs (454 kg)

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2012 ERG Guide #** 137

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Sulfuric acid	Listed	1000 lbs (454 kg)	D002	Listed	Not listed	E; D1A 

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure.

## Section 1 Chemical Product and Company Information

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>ACETIC ACID, GLACIAL</b>
<b>Synonyms</b>	Ethanoic Acid / Methanecarboxylic Acid / Glacial Acetic Acid

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS05**Target organs:** Respiratory system, Eyes, Skin, Teeth**GHS Classification:**

Flammable liquid (Category 3)

Skin corrosion (Category 1A)

Eye damage (Category 1)

**GHS Label information: Hazard statement:**

H226: Flammable liquid and vapour.

H314: Causes severe skin burns and eye damage.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363: Wash contaminated clothing before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Acetic acid	64-19-7	99.8%	200-580-7

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE CORNEAL BURNS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE SKIN IRRITATION AND/OR BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. This chemical reacts violently with strong oxidizers, generating a fire and explosion hazard. Reacts violently with strong bases, strong acids and many other compounds.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Acetic acid	TWA: 25 mg/m <sup>3</sup> STEL: 37 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup> STEL: 37 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Clear, colorless liquid.  
**Odor:** Strong, acrid, vinegar-like odor.  
**Odor threshold:** Data not available.  
**pH:** <2  
**Melting / Freezing point:** 16.7°C (62°F)  
**Boiling point:** 118.1°C (244°F)  
**Flash point:** 39°C (102.2°F) TCC ASTM D 56

**Evaporation rate ( Butyl acetate = 1):** 0.97  
**Flammability (solid/gas):** Data not available.  
**Explosion limits: Lower / Upper:** 4.0% / 19.9%  
**Vapor pressure (mm Hg):** 11.4 @ 20°C  
**Vapor density (Air = 1):** 2.07  
**Relative density (Specific gravity):** 1.049 @ 20/4°C  
**Solubility(ies):** Soluble in water.

**Partition coefficient:** Data not available  
**Auto-ignition temperature:** 464°C (869°F)  
**Decomposition temperature:** Data not available.  
**Viscosity:** Data not available.  
**Molecular formula:** CH<sub>3</sub>COOH  
**Molecular weight:** 60.05

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Bases, strong oxidizers, chromic acid, nitric acid, sodium peroxide, carbonates, hydroxides, phosphates. Corrosive to some metals. Potentially violent reaction with acetaldehyde and acetic anhydride. Ignites on contact with potassium-tert-butoxide.

**Hazardous decomposition products:** Carbon monoxide, hydrogen sulfide and other harmful gases or vapors including oxides and/or other compounds of sulfur and sodium.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 3,310 mg/kg ; Inhalation-rat LC50: 11.4 mg/L/4 hours ; Dermal-rabbit LD50: 1,060 mg/kg

**Skin corrosion/irritation:** Skin-rabbit - Severe irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

**Inhalation:** Exposure to vapor may cause irritation of the eyes, nose, and respiratory tract. May cause asthma-like symptoms, including coughing, wheezing, tightness of chest, shortness of breath, and headache.

**Ingestion:** May cause burns of the mouth, throat, esophagus, and stomach. Signs and symptoms may include pain, nausea, vomiting, diarrhea, dizziness, drowsiness, faintness, weakness, collapse and coma.

**Skin:** Contact with skin causes pain, redness, burns, and blisters.

**Eyes:** Contact with eyes may cause redness, pain, corneal burns, and loss of vision.

**Signs and symptoms of exposure:** See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: AF1225000

## Section 12 Ecological Information

**Toxicity to fish:** *Gambusia affinis* (fish, fresh water), LC50 = 251 mg/L/24 hours

**Toxicity to daphnia and other aquatic invertebrates:** *Daphnia magna* (Crustacea), EC50 = 95 mg/L/24 hours

**Toxicity to algae:** *Euglena gracilis* (Algae), EC100 = 720 mg/L

**Persistence and degradability:** Easily biodegradable **Bioaccumulative potential:** Not expected to bioaccumulate

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN2789

**Shipping name:** Acetic acid, glacial

**Hazard class:** 8, (3)

**Packing group:** II

**Reportable Quantity:** 5,000 lbs (2270 kg)



**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2012 ERG Guide #** 132

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Acetic acid, glacial	Listed	5,000 lbs (2270 kg)	D001, D002	Listed	Not listed	  B3; E

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Information

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	ETHYL ALCOHOL, DENATURED, 95% (190 PROOF)
----------------	---

<b>Synonyms</b>	Ethanol, Denatured, 95%
-----------------	-------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS07 / GHS08 / GHS06**Target organs:** Eyes, Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)  
Acute toxicity, inhalation (Category 3)  
Skin irritation (Category 2)  
Eye irritation (Category 2B)  
STOT-SE (Category 2)  
STOT-SE (Category 3)

**GHS Label information: Hazard statement:**

H225: Highly flammable liquid and vapour.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H331: Toxic if inhaled.  
H336: May cause drowsiness or dizziness.  
H371: May cause damage to organs.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P240: Ground/bond container and receiving equipment.  
P241: Use explosion-proof electrical/ventilating/lighting equipment.  
P242: Use only non-sparking tools.  
P243: Take precautionary measures against static discharge.  
P260: Do not breathe mist/vapours/spray.  
P264: Wash hands thoroughly after handling.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312: Call a POISON CENTER or doctor if you feel unwell.  
P332+P313: If skin irritation occurs: Get medical attention.  
P337+P313: If eye irritation persists: Get medical attention.  
P362+P364: Take off contaminated clothing and wash it before reuse.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental).

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Ethyl alcohol	64-17-5	80.75 - 81.51%	200-578-6
Isopropyl alcohol	67-63-0	8.55%	200-661-7
Water	7732-18-5	5.00%	231-791-2
Methanol	67-56-1	3.80 - 4.08%	200-659-6
Methyl isobutyl ketone	108-10-1	0.85 - 0.95%	203-550-1

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ethanol	STEL: 1000 ppm / 1880 mg/m <sup>3</sup> (A3)	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, colorless liquid.	<b>Evaporation rate ( Butyl acetate = 1):</b> Ca 2*	<b>Partition coefficient:</b> (n-octanol / water): Low Pow: -.32*
<b>Odor:</b> Mild characteristic odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> 400°C (752°F)*
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> 4.0%(V) / 20.0%(V)*	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> Ca 50 @ 20°C*	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> -114°C (-173°F)*	<b>Vapor density (Air = 1):</b> Ca 1.5*	<b>Molecular formula:</b> Mixture
<b>Boiling point:</b> 74-80°C (165.2-176°F)*	<b>Relative density (Specific gravity):</b> 0.7919-0.7955°C @ 60/60°F*	<b>Molecular weight:</b> Mixture
<b>Flash point:</b> 5°C (41°F)*	<b>Solubility(ies):</b> Soluble in water.	*[200 Proof Ethanol]

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizers, inorganic acids and halogens.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: KQ6300000 [Ethanol]

## Section 12 Ecological Information

**Toxicity to fish:** Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

**Toxicity to algae:** Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information

**UN/NA number:** UN1170 **Shipping name:** Ethanol

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** 5,000 lbs (2270 kg)

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**ERG Guide #** 127

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Ethanol	Listed	Not listed	D001	Listed	Not listed	B2; D2B
Methanol	Listed	5,000 lbs.	U154	Listed	Not listed	B2; D1B; D2A; D2B
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed	B2; D2B

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Information

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>FERRIC CHLORIDE, HEXAHYDRATE</b>
----------------	-------------------------------------

<b>Synonyms</b>	Iron(III) Chloride, Hexahydrate
-----------------	---------------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS05 / GHS07**Target organs:** Eyes, Skin, Respiratory system, Liver, Gastrointestinal tract**GHS Classification:**

Corrosive to metals (Category 1)

Acute toxicity, oral (Category 4)

Skin irritation (Category 2)

Eye damage (Category 1)

**GHS Label information: Hazard statement:**

H290: May be corrosive to metals.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

**Precautionary statement:**

P234: Keep only in original container.

P406: Store in corrosive resistant container with a resistant inner liner.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Ferric chloride, hexahydrate	10025-77-1	100%	231-729-4 [anhydrous]

## Section 4 First Aid Measures

**INGESTION:** HARMFUL IF SWALLOWED. MAY CAUSE LIVER OR KIDNEYS DAMAGE. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE DAMAGE. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Do NOT use water! Dry chemicals, CO<sub>2</sub> or other agents as appropriate for surrounding fires.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. May release toxic fumes of Hydrogen chloride gas in a fire.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts or vapors. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Avoid contact with humid or wet areas. Keep away from metals.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Iron salts, soluble, as Fe	TWA: 1 mg/m <sup>3</sup>	No listing	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

**Appearance:** Solid. Yellow-brown lumps

**Odor:** Hydrochloric acid odor.

**Odor threshold:** Data not available.

**pH:** 2 (0.1M solution)

**Melting / Freezing point:** 37°C (99°F)

**Boiling point:** Data not available

**Flash point:** Data not available

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** Data not available

**Vapor density (Air = 1):** >1

**Relative density (Specific gravity):** Data not available

**Solubility(ies):** 920 g/L in water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** FeCl<sub>3</sub>•6H<sub>2</sub>O

**Molecular weight:** 270.30

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, water, potassium, sodium, incompatible materials.

**Incompatible materials:** Water, oxidizing agents, metals, strong bases, reducing agents, alcohols.

**Hazardous decomposition products:** Hydrogen gas on contact with metals.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 1,872 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Dust or vapors may be corrosive or irritating to the nose, throat and respiratory tract. Symptoms may include burning sensation, coughing, shortness of breath, lung inflammation and pulmonary edema.

Ingestion: May cause severe liver or kidneys damage. May also cause gastrointestinal damage.

Skin: May cause severe irritation and/or burns.

Eyes: May cause severe irritation, tearing, blurred vision, burns, severe damage, and permanent blindness.

**Signs and symptoms of exposure:** See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: LJ910000 (Anhydrous)

## Section 12 Ecological Information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1759

**Shipping name:** Corrosive solids, n.o.s., (Ferric chloride, hexahydrate)

**Hazard class:** 8

**Packing group:** III

**Reportable Quantity:** 1,000 lbs (454 kg)


**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 5 Kg

**2012 ERG Guide #** 154

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Ferric chloride, anhydrous	Listed	1,000 lbs (454 kg)	Not listed	Listed	Not listed	 E

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Information

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>ISOPROPYL ALCOHOL, 90%</b>
----------------	-------------------------------

<b>Synonyms</b>	Isopropanol, 90% Solution
-----------------	---------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS07**Target organs:** Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)

Eye irritation (Category 2)

STOT-SE (Category 3)

**GHS Label information: Hazard statement(s):**

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

**Precautionary statement(s):**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P337+P313: If eye irritation persists: Get medical attention.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Isopropyl alcohol	67-63-0	90%	200-661-7
Water	7732-18-5	10%	231-791-2

## Section 4 First Aid Measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL, IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m <sup>3</sup>	TWA: 400 ppm / STEL: 500 ppm

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, colorless liquid. <b>Odor:</b> Aromatic odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> Approximately -50°C (-58°F) <b>Boiling point:</b> Approximately 85-100°C (185-212°F) <b>Flash point:</b> 12°C (53°F) CC	<b>Evaporation rate ( Butyl acetate = 1):</b> >1 <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> 2% / 12% <b>Vapor pressure (mm Hg):</b> 33 mm @20°C <b>Vapor density (Air = 1):</b> 2.1 <b>Relative density (Specific gravity):</b> 0.8 <b>Solubility(ies):</b> Complete in water.	<b>Partition coefficient: (n-octanol / water):</b> Data not available <b>Auto-ignition temperature:</b> 399°C (750°F) ASTM-E659-78 <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> Mixture <b>Molecular weight:</b> Mixture
--	--	--

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizing materials, caustics, aluminums, metals, nitroform, oleum, chlorinated compounds can react vigorously with this alcohol.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 4396 mg/kg ; Inhalation-rat LC50: 72.6 mg/L/4 hours ; Dermal-rat LD50: 12,000 mg/kg

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Irritating.

**Respiratory or skin sensitization:** Not sensitizing

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Yes

**Potential health effects:**

Inhalation: Inhalation of high vapor concentrations may cause central nervous system depression resulting in dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat. Continued inhalation may result in unconsciousness and death.

Ingestion: Aspiration hazard. Liquid can directly enter the lungs (aspirated) when swallowed or vomited. Serious lung damage and possible fatal chemical pneumonia can develop if this occurs.

Skin: Prolonged or repeated contact may cause irritation and drying, cracking and defatting of the skin which can lead to dermatitis.

Eyes: Contact causes burning sensation, redness, swelling, and/or blurred vision.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: NT8050000 [Isopropanol]

## Section 12 Ecological Information

**Toxicity to fish:** Pimephales promelas (Fish, fresh water) LC50: 9640 mg/L/96 hours [Isopropanol]

**Toxicity to daphnia and other aquatic invertebrates:** Artemia salina (Crustacea), EC50 = >10,000 mg/L/24 hours [Isopropanol]

**Toxicity to algae:** Scenedesmus quadricauda (Algae), LOEC50 = 1,800 mg/L/7 days [Isopropanol]

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information

**UN/NA number:** UN1219

**Shipping name:** Isopropanol solution

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** No


**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**ERG Guide #** 129

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Isopropyl alcohol	Listed	Not listed	Not listed	Listed	Not listed	  B2; D2B

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Chemical Product and Company Information

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>METHYL ALCOHOL</b>
----------------	-----------------------

<b>Synonyms</b>	Methanol ; Wood Alcohol
-----------------	-------------------------

## Section 2 Hazards Identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS06 / GHS08**Target organs:** Central nervous system, Liver, Kidneys, Heart**GHS Classification:**

Flammable liquid (Category 2)

Acute toxicity, oral (Category 3)

Acute toxicity, dermal (Category 3)

Acute toxicity, inhalation (Category 3)

STOT-SE (Category 1)

**GHS Label information: Hazard statement:**

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H331: Toxic if inhaled.

H370: Causes damage to organs.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330 +P310: IF SWALLOWED: Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308+P312: IF exposed or concerned: Call a POISON CENTER or doctor/physician if you feel unwell.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P233+P235: Store in a well-ventilated place. Keep container tightly closed. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with all local, state and federal regulations.

Ca Prop 65: This product contains a chemical known to the State of California to cause reproductive toxicity (Methanol, developmental).

## Section 3 Composition / Information on Ingredients

Chemical Name	CAS #	%	EINECS
Methanol	67-56-1	100%	200-659-6

## Section 4 First Aid Measures

**INGESTION:** MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** VAPOR HARMFUL. HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire Fighting Measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Fires involving a small amount of combustibles may be smothered by dry chemical. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Closed containers exposed to heat may explode. Burns with a clear, almost invisible flame. Contact with strong oxidizers may cause fire.

## Section 6 Accidental Release Measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Methanol	TWA: 262 mg/m <sup>3</sup> / STEL: 328 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup>	TWA: 260 mg/m <sup>3</sup> / STEL: 325 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Clear, colorless liquid. <b>Odor:</b> Pungent odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> -98°C (-144°F) <b>Boiling point:</b> 65°C (149°F) <b>Flash point:</b> 11°C (52°F) CC	<b>Evaporation rate ( Butyl acetate = 1):</b> 4.6 <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> 7.3% / 36% <b>Vapor pressure (mm Hg):</b> 96 mm @ 20°C <b>Vapor density (Air = 1):</b> 1.11 <b>Relative density (Specific gravity):</b> 0.79 <b>Solubility(ies):</b> Complete in water.	<b>Partition coefficient: (n-octanol / water):</b> Low Pow: -.82 <b>Auto-ignition temperature:</b> 463°C (867°F) <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> CH <sub>3</sub> OH <b>Molecular weight:</b> 32.04
--	--	---

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable  
**Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.  
**Incompatible materials:** Strong oxidizing agents, strong acids, zinc, aluminum and magnesium, reducers, alkalies.  
**Hazardous decomposition products:** Oxides of carbon and formaldehyde.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 5,628 mg/kg ; Inhalation-rat LC50: 64,000 mg/kg/4hours ; Skin-rabbit LD50: 15,800 mg/kg  
**Skin corrosion/irritation:** Data not available  
**Serious eye damage/irritation:** Data not available  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
 IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 1 with narcotic effects.  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
 Inhalation: Inhalation of this material may cause irritation of the respiratory tract, nausea, shortness of breath and headache.  
 Ingestion: Ingestion may cause headache, dizziness, weakness, euphoria, drowsiness, shortness of breath, vomiting and incoordination. Can also cause blindness and death. Cannot be made nonpoisonous.  
 Skin: Contact with skin can cause moderate irritation, defatting, cracking and dermatitis. Skin absorption may contribute to overall exposure.  
 Eyes: Contact with eyes can cause severe irritation, even corneal burns. High concentrations of vapors may cause irritation.  
**Signs and symptoms of exposure:** See Potential health effects above.  
**Additional information:** RTECS #: PC1400000

## Section 12 Ecological Information

**Toxicity to fish:** Lepomis macrochirus (fish, fresh water), LC50 = 15,400 mg/l/96 hours  
**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna, EC50 = >10,000 mg/l/48 hours  
**Toxicity to algae:** No data available  
**Persistence and degradability:** Readily biodegradable  
**Bioaccumulative potential:** Not expected to bioaccumulate  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1230  
**Shipping name:** Methanol  
**Hazard class:** Domestic: 3 International: 3, (6.1)  
**Packing group:** II  
**Reportable Quantity:** Yes  
**Marine pollutant:** No  
**Exceptions:** Limited quantity equal to or less than 1 L  
**2012 ERG Guide #** 131

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Methanol	Listed	5,000 lbs. (2270 kg)	U154	Listed	Not listed	B2; D1B; D2A; D2B

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 12/15/2014

Revision date: 12/15/2014

Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
 CAS No : 7439-95-4  
 Formula : Mg  
 Synonyms : Magnesium / magnesium, borings / magnesium, metal / magnesium, ribbons / magnesium, scalplings / magnesium, sheet / magnesium, turnings  
 BIG no : 10761

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Laboratory chemicals

#### 1.3. Details of the supplier of the safety data sheet

GSC International, Inc.  
 1747 N. Deffer Drive  
 Nixa,  
 MO 65714  
 United States of America

Tel: 417-374-7431  
 Fax: 417-374-7442  
 Email: info@gscinternationalinc.com

#### 1.4. Emergency telephone number

Country	Organization/Company	Address	Emergency number
MEXICO	Servicio de Informacion Toxicologica Sintox	Tintoreto #32 Edif. a Desp. Col. Nochebuena Mixcoac México, D.F.	1 800 009 2800 +52 55 5611 2634 /+52 55 5598 9095
UNITED STATES OF AMERICA	American Association of Poison Control Centers		1-800-222-1222

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (GHS-US)

Flam. Sol. 1 H228  
 Self-heat. 1 H251  
 Water-react. 2 H261

Full text of H-phrases: see section 16

#### 2.2. Label elements

##### GHS-US labeling

Hazard pictograms (GHS-US) :



GHS02

Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H228 - Flammable solid  
 H251 - Self-heating: may catch fire  
 H261 - In contact with water releases flammable gases

Precautionary statements (GHS-US) :

P210 - Keep away from heat, hot surfaces, open flames, sparks. - No smoking  
 P223 - Do not allow contact with water  
 P231+P232 - Handle under inert gas. Protect from moisture  
 P235+P410 - Keep cool. Protect from sunlight  
 P280 - Wear eye protection, face protection, protective clothing, protective gloves  
 P335+P334 - Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P370+P378 - In case of fire: Use dry extinguishing powder, dry sand to extinguish  
P402+P404 - Store in a dry place. Store in a closed container  
P420 - Store away from other materials  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-US)

Not applicable

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name	Product identifier	%	Classification (GHS-US)
Magnesium (Main constituent)	(CAS No) 7439-95-4	> 99,9	Flam. Sol. 1, H228 Self-heat. 1, H251 Water-react. 2, H261

Full text of H-phrases: see section 16

### 3.2. Mixture

Not applicable

### 4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Wash skin with plenty of water.
First-aid measures after eye contact	: Rinse with water. Do not apply (chemical) neutralizing agents. Consult an ophthalmologist if irritation persists. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist. Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Rinse mouth out with water. Consult a doctor/medical service if you feel unwell. Get medical advice/attention. Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/injuries after inhalation	: AFTER INHALATION OF FUME: Metal fume fever.
Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Gastrointestinal complaints. Inflammation/damage of the eye tissue. Possible inflammation of the respiratory tract. Coughing.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Dry sand. Dry powder.
Unsuitable extinguishing media	: Water. Water spray. Foam. Carbon dioxide. Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: DIRECT FIRE HAZARD. May readily catch fire. Combustibility increases as material becomes thinner. In finely divided state: increased fire hazard. Spontaneously flammable in air. INDIRECT FIRE HAZARD. Heating increases the fire hazard. Reactions involving a fire hazard: see "Reactivity Hazard". Flammable solid. Self-heating: may catch fire.
Explosion hazard	: DIRECT EXPLOSION HAZARD. Fine dust is explosive with air. INDIRECT EXPLOSION HAZARD. Dust cloud can be ignited by a spark. Reactions with explosion hazards: see "Reactivity Hazard". May form flammable/explosive vapor-air mixture.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reactivity : Reacts slowly with water (moisture): release of highly flammable gases/vapours (hydrogen). This reaction is accelerated on exposure to (strong) acids. Burning substance reacts explosively with water. Reacts violently with many compounds e.g.: with (strong) oxidizers: (increased) risk of fire/explosion. Reacts with (some) acids: release of highly flammable gases/vapours (hydrogen). Flammable solid. Self-heating: may catch fire.

### 5.3. Advice for firefighters

Precautionary measures fire : Exposure to fire/heat: keep upwind. Exposure to heat: have neighborhood close doors and windows.

Firefighting instructions : When cooling/extinguishing: no water in the substance. If no hazard for/from the surroundings: controlled burning. Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Heat/fire exposure: compressed air/oxygen apparatus. Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

#### 6.1.1. For non-emergency personnel

Protective equipment : Gloves. Protective clothing. See "Material-Handling" to select protective clothing.

Emergency procedures : Mark the danger area. No naked flames. Keep containers closed. Avoid ingress of water in the containers. Wash contaminated clothes. In case of hazardous reactions: keep upwind. In case of reactivity hazard: consider evacuation. Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent spreading in sewers. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain leaking substance, pump over in suitable containers. Consult "Material-handling" to select material of containers. Provide equipment/receptacles with earthing. Contact with water: measure explosive gas-air mixture concentration. Hazardous reaction: measure explosive gas-air mixture. Reaction: dilute combustible gas/vapor with water curtain.

Methods for cleaning up : Recover mechanically the product. Collect the spill only if it is in a dry state in closing drums. Consult "Material-handling" to select material of containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling. On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Keep away from any possible contact with water, because of violent reaction and possible flash fire.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- Precautions for safe handling : Ensure good ventilation of the work station. Meet the legal requirements. Wash contaminated clothing before reuse. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Use earthed equipment. Keep away from naked flames/heat. Avoid contact of substance with water. Finely divided: spark- and explosion proof appliances. Finely divided: keep away from ignition sources/sparks. Observe normal hygiene standards. Keep container tight closed. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No open flames. No smoking. Handle under inert gas. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Wear personal protective equipment. Protect from moisture. Keep away from any possible contact with water, because of violent reaction and possible flash fire.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Maintain air gap between stacks/pallets. Use explosion-proof Flame proof, lighting, electrical equipment and ventilation equipment.
- Storage conditions : Keep container closed when not in use. Heat sources. Direct sunlight. Keep in fireproof place. Store in a dry place. Protect from moisture. Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat-ignition. Keep cool. Protect from sunlight. Keep away from ignition sources. Store away from other materials. Store in a closed container. Store in a well-ventilated place.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight. Keep away from any possible contact with water, because of violent reaction and possible flash fire.
- Heat-ignition : KEEP SUBSTANCE AWAY FROM: heat sources.
- Prohibitions on mixed storage : KEEP SUBSTANCE AWAY FROM: oxidizing agents. Strong acids. Flammable materials. halogens. moisture.
- Storage area : Store in a dry area. Keep container in a well-ventilated place. Store at ambient temperature. Fireproof storeroom. Provide the tank with earthing. Meet the legal requirements.
- Special rules on packaging : SPECIAL REQUIREMENTS: closing. watertight. dry. clean. correctly labeled. meet the legal requirements. Secure fragile packaging in solid containers. Store in a closed container.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Magnesium Ribbon (7439-95-4)	
ACGIH	Not applicable
OSHA	Not applicable

### 8.2. Exposure controls

- Appropriate engineering controls : Provide adequate general and local exhaust ventilation. Ensure good ventilation of the work station.
- Personal protective equipment : Protective clothing. Protective goggles. Gloves.



- Materials for protective clothing : GIVE GOOD RESISTANCE: leather.
- Hand protection : Gloves. Wear protective gloves.
- Eye protection : Chemical goggles or safety glasses. Safety glasses.
- Skin and body protection : Protective clothing.
- Respiratory protection : Respiratory protection not required in normal conditions. Wear appropriate mask.
- Environmental exposure controls : Avoid release to the environment.
- Other information : Do not eat, drink or smoke during use.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Metal.
Molecular mass	: 24,31 g/mol
Color	: Silvery-white
Odor	: Odorless
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: 650 °C
Freezing point	: No data available
Boiling point	: 1107 °C
Flash point	: No data available
Auto-ignition temperature	: 620 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: < 0,1 hPa
Relative vapor density at 20 °C	: No data available
Relative density	: 1,7
Specific gravity / density	: 1738 kg/m <sup>3</sup>
Solubility	: insoluble in water. Substance sinks in water. Soluble in mineral acids.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

VOC content : 0 %

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reacts slowly with water (moisture): release of highly flammable gases/vapours (hydrogen). This reaction is accelerated on exposure to (strong) acids. Burning substance reacts explosively with water. Reacts violently with many compounds e.g.: with (strong) oxidizers: (increased) risk of fire/explosion. Reacts with (some) acids: release of highly flammable gases/vapours (hydrogen). Flammable solid. Self-heating: may catch fire.

#### 10.2. Chemical stability

Unstable on exposure to moisture. Flammable solid. May form flammable/explosive vapor-air mixture. Self-heating: may catch fire.

#### 10.3. Possibility of hazardous reactions

In contact with water releases flammable gases.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition. Water, humidity.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified  
(Based on available data, the classification criteria are not met)

Magnesium Ribbon ( f )7439-95-4	
LD50 oral rat	> 2000 mg/kg (Rat)

Skin corrosion/irritation : Not classified  
(Based on available data, the classification criteria are not met)

Serious eye damage/irritation : Not classified  
(Based on available data, the classification criteria are not met)

Respiratory or skin sensitization : Not classified  
(Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified  
(Based on available data, the classification criteria are not met)Based on available data, the classification criteria are not met

Carcinogenicity : Not classified  
(Based on available data, the classification criteria are not met)

Reproductive toxicity : Not classified  
(Based on available data, the classification criteria are not met)Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : Not classified  
(Based on available data, the classification criteria are not met)

Specific target organ toxicity (repeated exposure) : Not classified  
(Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified  
(Based on available data, the classification criteria are not met)

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : AFTER INHALATION OF FUME: Metal fume fever.

Chronic symptoms : ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Gastrointestinal complaints. Inflammation/damage of the eye tissue. Possible inflammation of the respiratory tract. Coughing.

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Ecology - air : Not dangerous for the ozone layer (Regulation (EC) No 1005/2009).

Ecology - water : No water pollutant (surface water). Not harmful to aquatic organisms.

#### 12.2. Persistence and degradability

Magnesium Ribbon (7439-95-4)	
Persistence and degradability	Biodegradability: Not applicable. Not established.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

#### 12.3. Bioaccumulative potential

Magnesium Ribbon (7439-95-4)	
Bioaccumulative potential	Not established.

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on ozone layer :

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Reuse or recycle following decontamination. Remove for physico-chemical/biological treatment. Remove to an authorized dump (Class I). Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to a licensed waste centre in accordance with local/regional/national/international regulations.

Additional information : LWCA (the Netherlands): KGA category 06. Can be considered as non hazardous waste according to Directive 2008/98/EC.

Ecology - waste materials : Avoid release to the environment.

## SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1869 Magnesium, 4.1, III

UN-No.(DOT) : UN1869

Proper Shipping Name (DOT) : Magnesium

Department of Transportation (DOT) Hazard Classes : 4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124

Hazard labels (DOT) : 4.1 - Flammable solid



Packing group (DOT) : III - Minor Danger

DOT Special Provisions (49 CFR 172.102) : A1 - Single packaging are not permitted on passenger aircraft.  
IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).  
IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.  
T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2)  
TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 151

DOT Packaging Non Bulk (49 CFR 173.xxx) : 213

DOT Packaging Bulk (49 CFR 173.xxx) : 240

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 25 kg

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 100 kg

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other : 39 - Stow "away from" liquid halogenated hydrocarbons,52 - Stow "separated from" acids,53 - Stow "separated from" alkaline compounds,74 - Stow "separated from" oxidizers,101 - Stow "separated from" iron oxide

### Additional information

Other information : No supplementary information available.

### ADR

Transport document description : UN 1869 MAGNESIUM, 4.1, III, (E)

Packing group (ADR) : III

Class (ADR) : 4.1 - Flammable solids, self-reactive substance and solid desensitized explosives

Hazard identification number (Kemler No.) : 40

Classification code (ADR) : F3

Hazard labels (ADR) : 4.1 - Flammable solid



Orange plates :



Tunnel restriction code (ADR) : E

LQ : 5kg

Excepted quantities (ADR) : E1

### Transport by sea

UN-No. (IMDG) : 1869

Proper Shipping Name (IMDG) : MAGNESIUM

Class (IMDG) : 4.1 - Flammable solids, self-reactive substance and solid desensitized explosives

Packing group (IMDG) : III - substances presenting low danger

### Air transport

UN-No.(IATA) : 1869

Proper Shipping Name (IATA) : Magnesium

Class (IATA) : 4.1 - Flammable solids

Packing group (IATA) : III - Minor Danger

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Magnesium Ribbon (7439-95-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

#### CANADA

No additional information available

#### EU-Regulations

No additional information available

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flam. Sol. 1 H228

Water-react. 2 H261

# Magnesium Ribbon

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Self-heat. 1 H251

Full text of H-phrases: see section 16

### Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

F; R11

F; R15

Full text of R-phrases: see section 16

### 15.2.2. National regulations

### 15.3. US State regulations

No additional information available

## SECTION 16: Other information

Revision date : 12/15/2014

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H-phrases:


Flam. Sol. 1	Flammable solids Category 1
Self-heat. 1	Self-heating substances and mixtures Category 1
Water-react. 2	Substances and mixtures which in contact with water emit flammable gases Category 2
H228	Flammable solid
H251	Self-heating: may catch fire
H261	In contact with water releases flammable gases

NFPA health hazard : 0 - Exposure under fire conditions would offer no hazard beyond that of ordinary combustible materials.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.

NFPA specific hazard : W - Unusual reactivity with water. This indicates a potential hazard using water to fight a fire involving this material. When a compound is both water-reactive and an oxidizer, the W/bar symbol should go in this quadrant and the OX warning is placed immediately below the NFPA diamond.



HMIS III Rating

Health : 0 Minimal Hazard - No significant risk to health

Flammability : 1 Slight Hazard

Physical : 1 Slight Hazard

Personal Protection : C

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*

**Section 1 Chemical Product and Company Information**

Page E1 of E2

**HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

**Product** MANGANESE(IV) DIOXIDE, 85%**Synonyms** Manganese Dioxide, Native Powder**Section 2 Hazards Identification****Signal word:** WARNING**Pictograms:** GHS07**Target organs:** Respiratory system, Central nervous system**GHS Classification:**

Acute toxicity, oral (Category 4)

Acute toxicity, inhalation (Category 4)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H332: Harmful if inhaled.

**Precautionary statement:**

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Manganese dioxide*	1313-13-9	51-55%	215-202-6
*Contains: Barium compound (as Ba)	7440-39-3	0.1-1.8%	231-149-1

**Section 4 First Aid Measures**

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

**Section 5 Fire Fighting Measures**

**Suitable Extinguishing Media:** Use water. Do not use dry chemicals or foams. CO<sub>2</sub> or Halon® may provide limited control.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Although not flammable, substance is a strong oxidizer which releases oxygen on heating, increasing the burning rate of any material with a flare-burning effect. It may cause re-ignition after a fire is extinguished.

**Section 6 Accidental Release Measures**

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure Controls / Personal Protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Manganese, fume, as Mn	TWA: 0.2 mg/m <sup>3</sup>	STEL: C 5 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical &amp; Chemical Properties

<b>Appearance:</b> Solid. Black crystalline powder. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> 535°C (995°F) <b>Boiling point:</b> Data not available <b>Flash point:</b> Data not available	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> Data not available <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 5.0 <b>Solubility(ies):</b> Insoluble in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> MnO <sub>2</sub> <b>Molecular weight:</b> 86.94
--	---	--

## Section 10 Stability &amp; Reactivity

**Chemical stability:** Stable  
**Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** Do not heat or rub with organic matter or other oxidizable substance. e.g. sulfur, sulfides, phosphides, hypophosphites, etc.  
**Incompatible materials:** Chlorates, strong oxidizers, organic materials, combustible materials, aluminum powder and sulfur.  
**Hazardous decomposition products:** Heating above 535°C (995°F) will produce oxygen and manganese oxides and/or fumes.

## Section 11 Toxicological Information

**Acute toxicity:** Oral-rat LD50: 9000 mg/kg  
**Skin corrosion/irritation:** Data not available  
**Serious eye damage/irritation:** Data not available  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
Inhalation: Chronic excess inhalational exposures may lead to pulmonary inflammation and subsequent reactive airway disease. Metal fume fever has been reported with manganese inhalation.  
Ingestion: May be harmful if ingested.  
Skin: Prolonged or repeated contact with dust may irritate skin.  
Eyes: Contact with eyes may cause irritation.  
**Signs and symptoms of exposure:** Toxicity from acute ingestion or acute inhalation of manganese is rare. Chronic inhalation over many years, usually from occupational exposure, may lead to manganese toxicity. Exercise appropriate procedures to minimize potential hazards.  
**Additional information:** RTECS #: OP0350000

## Section 12 Ecological Information

**Toxicity to fish:** No data available  
**Toxicity to daphnia and other aquatic invertebrates:** No data available  
**Toxicity to algae:** No data available  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal Considerations


These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport Information (US DOT / CANADA TDG)

**UN/NA number:** UN1479  
**Shipping name:** Oxidizing solid, n.o.s., (Manganese dioxide)  
**Hazard class:** 5.1  
**Packing group:** III  
**Reportable Quantity:** No  
**Marine pollutant:** No  
**Exceptions:** Limited quantity equal to or less than 5 Kg  
**2012 ERG Guide #** 140

## Section 15 Regulatory Information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Manganese dioxide	Listed	Not listed	Not listed	Listed	Not listed	 C ; D2B

## Section 16 Additional Information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

**Section 1 Chemical Product and Company Information****HOME SCIENCE TOOLS**

665 Carbon Street  
Billings, MT 59102  
800-860-6272  
www.homesciencetools.com

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory use only.  
Not for drug, food or household use.

<b>Product</b>	<b>HYDROGEN PEROXIDE, 30%, STABILIZED</b>
----------------	---

<b>Synonyms</b>	Hydrogen Dioxide
-----------------	------------------

**Section 2 Hazards Identification****Signal word:** DANGER**Pictograms:** GHS03 / GHS05 / GHS07**Target organs:** Respiratory and gastrointestinal systems, skin, eyes**GHS Classification:**

Oxidizing liquid (Category 2)

Acute toxicity (Category 4)

Skin irritation (Category 2)

Eye damage (Category 1)

STOT-SE (Category 3)

**GHS Label information: Hazard statement:**

H272: May intensify fire; oxidizer.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P220: Keep away from clothing/incompatible/combustible materials.

P221: Take any precaution to avoid mixing with combustibles/acids/oxidizers.

P370+P378: In case of fire: Use WATER ONLY to extinguish.

P261: Avoid breathing mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Supplementary information:**

Do not tamper with venting mechanism.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**Section 3 Composition / Information on Ingredients**

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	<70%	231-791-2
Hydrogen peroxide	7722-84-1	30%	231-765-0
Acetanilide	103-84-4	0.05%	203-150-7

**Section 4 First Aid Measures****INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.**EYE CONTACT:** CAUSES IRRITATION AND / OR BURNS TO EYES. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES IRRITATION AND / OR BURNS TO THE SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.**Section 5 Fire Fighting Measures****Suitable Extinguishing Media:** Water only! Apply vast amounts for cooling and dilution.**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. This product is a strong oxidizer which may release oxygen and promote the combustion of flammable materials. Spontaneous combustion can occur if allowed to remain in contact with oxidizable materials. Drying of product on clothing or combustible material may cause fire.**Section 6 Accidental Release Measures****Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Section 7 Handling & Storage**

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources. Do not allow temperature of storage to rise above 100°F.

**Section 8 Exposure Controls / Personal Protection**

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hydrogen peroxide	TWA: 1 ppm ; 1.4 mg/m <sup>3</sup> (A3)	TWA: 1 ppm ; 1.4 mg/m <sup>3</sup>	TWA: 1 ppm ; 1.4 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

**Section 9 Physical & Chemical Properties**

**Appearance:** Clear, colorless liquid.

**Odor:** Pungent odor.

**Odor threshold:** Data not available.

**pH:** 0-3

**Melting / Freezing point:** -26 to -52°C (-18 to -62°F)

**Boiling point:** 104-113°C (220-237°F)

**Flash point:** Not applicable

**Evaporation rate ( Butyl acetate = 1):** >1

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** 18-27 @ 30°C (86°F)

**Vapor density (Air = 1):** 0.8 - 1.0 (calculated)

**Relative density (Specific gravity):** 1.1 - 1.2

**Solubility(ies):** Complete in water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** Mixture

**Molecular weight:** Mixture

**Section 10 Stability & Reactivity**

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition. Contact with combustible materials may result in spontaneous combustion.

**Incompatible materials:** Acids, bases, metals, metal salts, reducing agents, organic materials, alkalies, dust and dirt contaminants, flammable substances, oxidizable materials.

**Hazardous decomposition products:** Oxygen, which will promote the combustion of flammable material.

**Section 11 Toxicological Information**

**Acute toxicity:** Oral-rat LD50: 800 mg/kg [50% hydrogen peroxide]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Expected to be irritating to respiratory tract.

Ingestion: Expected to cause burns to the gastrointestinal tract.

Skin: Expected to cause irritation and/or burns. As the concentration or time of exposure increases, the extent of damage increases.

Eyes: Expected to cause irritation and/or burns. Could cause corneal damage which may occur several days later.

**Signs and symptoms of exposure:** See Potential health effects above. Medical conditions which may be aggravated by exposure include conjunctivitis of the eye, dermatitis of the skin, asthma and respiratory diseases.

**Additional information: RTECS #:** MX0900000 [Hydrogen peroxide]

**Section 12 Ecological Information**

**Toxicity to fish:** Gambusia affinis (fish, fresh water), NOEC = 2.38 - 9.86 mg/l [Hydrogen peroxide]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50 = 7.7 mg/l/24 hours [Hydrogen peroxide]

**Toxicity to algae:** Chlorella vulgaris (Algae), EC50 = 2.5 mg/l/growth rate [Hydrogen peroxide]

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Section 13 Disposal Considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

**Section 14 Transport Information (US DOT / CANADA TDG)**

**UN/NA number:** UN2014

**Shipping name:** Hydrogen peroxide, aqueous solutions

**Hazard class:** 5.1, (8)

**Packing group:** II

**Reportable Quantity:** No


**Marine pollutant:** No

**Exceptions:** No exceptions

**2012 ERG Guide #** 140

**Section 15 Regulatory Information**

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Hydrogen peroxide, 30%	Listed	Not listed	Not listed	Listed	Not listed	C ; D2B ; E 

**Section 16 Additional Information**

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Revision Date: August 20, 2014

Supersedes: February 27, 2013